

Schmetterlinge (Lepidoptera)

* = ausgestorben/verschollen

- Abraxas grossulariata* (LINNÉ, 1758)
Abraxas sylvata (SCOPOLI, 1763)
Abrostola asclepiadis (DEN. & SCHIFF., 1775)
Abrostola trigemina WERNEBURG, 1864
Abrostola triplasia (LINNÉ, 1758)
* *Acanthophila alacella* (ZELLER, 1839)
* *Acanthopsyche atra* (LINNÉ, 1767)
Acentria ephemerella (DEN. & SCHIFF., 1775)
* *Acherontia atropos* (LINNÉ, 1758)
Achlya flavicornis (LINNÉ, 1758)
* *Achroia grisella* (FABRICIUS, 1794)
* *Acleris aspersana* (HÜBNER, 1817)
* *Acleris boscana* (FABRICIUS, 1794)
* *Acleris emargana* (FABRICIUS, 1775)
* *Acleris ferrugana* (DEN. & SCHIFF., 1775)
* *Acleris hastiana* (LINNÉ, 1758)
* *Acleris hyemana* (HAWORTH, 1811)
* *Acleris literana* (LINNÉ, 1758)
* *Acleris logiana* (CLERCK, 1759)
* *Acleris rhombana* (DEN. & SCHIFF., 1775)
* *Acleris sparsana* (DEN. & SCHIFF., 1775)
Acleris variegana (DEN. & SCHIFF., 1775)
* *Acompsia cinerella* (CLERCK, 1759)
* *Acontia lucida* (HUFNAGEL, 1767)
Acornutia nana (HAWORTH, 1811)
* *Acosmetia caliginosa* (HÜBNER, 1813)
* *Acrobasis consociella* (HÜBNER, 1813)
* *Acrobasis repandana* (FABRICIUS, 1798)
* *Acrobasis tumidana* (DEN. & SCHIFF., 1775)
* *Acrolepia pygmeana* (HAWORTH, 1811)
Acrolepiopsis assectella (ZELLER, 1839)
Acronicta aceris (LINNÉ, 1758)
Acronicta alni (LINNÉ, 1767)
Acronicta auricoma (DEN. & SCHIFF., 1775)
* *Acronicta cuspis* (HÜBNER, 1813)
Acronicta euphorbiae (DEN. & SCHIFF., 1775)
Acronicta leporina (LINNÉ, 1758)
Acronicta megacephala (DEN. & SCHIFF., 1775)
* *Acronicta menyanthidis* (ESPER, 1784)
Acronicta psi (LINNÉ, 1758)
Acronicta rumicis (LINNÉ, 1758)
* *Acronicta tridens* (DEN. & SCHIFF., 1775)
Actinotia polyodon (CLERCK, 1759)
* *Adela croesella* (SCOPOLI, 1763)
* *Adela cuprella* (DEN. & SCHIFF., 1775)
* *Adela fibulella* (DEN. & SCHIFF., 1775)
Adela reaumurella (LINNÉ, 1758)
* *Adela rufifrontella* TREITSCHKE, 1833
* *Adela rufimitrella* (SCOPOLI, 1763)
* *Adela violaria* RAZOWSKI, 1978
Adoxophyes orana (F. v. RÖSLERSTAMM, 1834)
Adscita globulariae HÜBNER, 1793
Adscita statices (LINNÉ, 1758)
Aedia funesta (ESPER, 1786)
* *Aedia leucomelas* (LINNÉ, 1758)
Aethalura punctulata (DEN. & SCHIFF., 1775)
Aethes francillana (FABRICIUS, 1794)
Aethes hartmanniana (CLERCK, 1759)
Aethes kindermanniana TREITSCHKE, 1830
Aethes margaritana (HAWORTH, 1811)
Aethes rubigana TREITSCHKE, 1830
Aethes smeathmanniana (FABRICIUS, 1781)
Aethes tesserana (DEN. & SCHIFF., 1775)
Aethes williana (BRAHM, 1791)
Agapeta hamana (LINNÉ, 1758)
Agapeta zoegana (LINNÉ, 1767)
* *Agdistis adactyla* (HÜBNER, 1819)
Aglais urticae (LINNÉ, 1758)
Aglossa pinguinalis (LINNÉ, 1758)
Agonopterix arenella (DEN. & SCHIFF., 1775)
* *Agonopterix capreolella* ZELLER, 1839
* *Agonopterix cnicella* (TREITSCHKE, 1832)
* *Agonopterix conterminella* (ZELLER, 1839)
* *Agonopterix heracliiana* (LINNÉ, 1758)
* *Agonopterix laterella* (DEN. & SCHIFF., 1775)
* *Agonopterix liturosa* (HAWORTH, 1811)
* *Agonopterix nervosa* (HAWORTH, 1811)
* *Agonopterix ocellana* (FABRICIUS, 1775)
* *Agonopterix pallorella* (ZELLER, 1839)
* *Agonopterix propinquella* (TREITSCHKE, 1835)
Agonopterix purpurea (HAWORTH, 1811)
* *Agonopterix putridella* (DEN. & SCHIFF., 1775)

* *Agonopterix subpropinquella* (STAINTON, 1849)
Agriopis aurantiaria (HÜBNER, 1799)
 * *Agriopis bajaran* (DEN. & SCHIFF., 1775)
Agriopis leucophaearia (DEN. & SCHIFF., 1775)
Agriopis marginaria (FABRICIUS, 1777)
 * *Agriphila geniculea* (HAWORTH, 1811)
Agriphila inquinatella (DEN. & SCHIFF., 1775)
Agriphila latistria (HAWORTH, 1811)
 * *Agriphila selasella* (HÜBNER, 1813)
Agriphila straminella (DEN. & SCHIFF., 1775)
Agriphila tristella (DEN. & SCHIFF., 1775)
 * *Agrius convolvuli* (LINNÉ, 1758)
Agrochola circellaris (HUFNAGEL, 1766)
Agrochola helvola (LINNÉ, 1758)
 * *Agrochola laevis* (HÜBNER, 1803)
Agrochola litura (LINNÉ, 1761)
Agrochola lota (CLERCK, 1759)
Agrochola lychnidis (DEN. & SCHIFF., 1775)
Agrochola macilentata (HÜBNER, 1809)
Agrochola nitida (DEN. & SCHIFF., 1775)
 * *Agrotera nemoralis* (SCOPOLI, 1763)
 * *Agrotis cinerea* (DEN. & SCHIFF., 1775)
Agrotis clavis (HUFNAGEL, 1766)
 * *Agrotis crassa* (HÜBNER, 1803)
Agrotis exclamationis (LINNÉ, 1758)
Agrotis ipsilon (HUFNAGEL, 1766)
Agrotis segetum (DEN. & SCHIFF., 1775)
Agrotis vestigialis (HUFNAGEL, 1766)
Alcis repandata (LINNÉ, 1758)
Aleimma loeflingiana (LINNÉ, 1758)
Aletia albipuncta (DEN. & SCHIFF., 1775)
Aletia conigera (DEN. & SCHIFF., 1775)
Aletia ferrago (FABRICIUS, 1787)
Aletia impura (HÜBNER, 1808)
Aletia l-album (LINNÉ, 1767)
Aletia obsoleta (HÜBNER, 1809)
Aletia pallens (LINNÉ, 1758)
Aletia pudorina (DEN. & SCHIFF., 1775)
Aletia sicula (TREITSCHKE, 1835)
Aletia straminea (TREITSCHKE, 1835)
Aleucis distinctata (HERR.-SCHÄFF., 1839)
 * *Alispa angustella* (HÜBNER, 1796)
Allophyes oxyacanthae (LINNÉ, 1758)
Alsophila aescularia (DEN. & SCHIFF., 1775)
Alsophila quadripunctaria (ESPER, 1800)
 * *Alucita hexadactyla* LINNÉ, 1758
 * *Amblyptilia acanthadactyla* (HÜBNER, 1813)
Amphipoea fucosa (FREYER, 1830)
Amphipyra berbera RUNGS, 1949
Amphipyra pyramidea (LINNÉ, 1758)
Amphipyra tragopoginis (CLERCK, 1759)
Anacamptis populella (CLERCK, 1759)
 * *Anacamptis quercella* (CHRÉTIEN, 1907)
 * *Anania funebris* (STRÖM, 1768)
Anaplectoides prasina (DEN. & SCHIFF., 1775)
 * *Anarsia lineatella* (ZELLER, 1839)
Anarta myrtilli (LINNÉ, 1761)
 * *Ancylis achatana* (DEN. & SCHIFF., 1775)
Ancylis apicella (DEN. & SCHIFF., 1775)
Ancylis badiana (DEN. & SCHIFF., 1775)
Ancylis laetana (FABRICIUS, 1775)
Ancylis mitterbacheriana (DEN. & SCHIFF., 1775)
 * *Ancylis myrtillana* TREITSCHKE, 1830
Ancylis obtusana (HAWORTH, 1811)
 * *Ancylis tineana* (HÜBNER, 1799)
Ancylis uncella (DEN. & SCHIFF., 1775)
Ancylis unculana (HAWORTH, 1811)
 * *Ancylis unguicella* (LINNÉ, 1758)
 * *Ancylis upupana* TREITSCHKE, 1835
 * *Anerastia lotella* (HÜBNER, 1813)
Angerona prunaria (LINNÉ, 1758)
Anthocharis cardamines (LINNÉ, 1758)
Anthophila fabriciana (LINNÉ, 1767)
Anticlea badiata (DEN. & SCHIFF., 1775)
 * *Antispila treitschkiella* (F. v. RÖSLERSTAMM, 1843)
Apamea anceps (DEN. & SCHIFF., 1775)
Apamea crenata (HUFNAGEL, 1766)
 * *Apamea furva* (DEN. & SCHIFF., 1775)
Apamea lateritia (HUFNAGEL, 1766)
Apamea lithoxylaea (DEN. & SCHIFF., 1775)
Apamea monoglypha (HUFNAGEL, 1766)
 * *Apamea oblonga* (HAWORTH, 1809)
Apamea ophiogramma (ESPER, 1793)
Apamea remissa (HÜBNER, 1809)
Apamea scolopacina (ESPER, 1788)
Apamea sordens (HUFNAGEL, 1766)
Apamea sublustris (ESPER, 1788)
Apamea unanimitis (HÜBNER, 1813)
 * *Apatura iris* (LINNÉ, 1758)

Aphantopus hyperantus (LINNÉ, 1758)
 * *Aphomia sociella* (LINNÉ, 1758)
Aplasta ononaria (FUJESSLY, 1783)
Aplocera efformata GUENÉE, 1857
Aplocera plagiata (LINNÉ, 1758)
Apocheima hispidaria (DEN. & SCHIFF., 1775)
Apocheima pilosaria (DEN. & SCHIFF., 1775)
Apoda limacodes (HUFNAGEL, 1766)
Aporia crataegi (LINNÉ, 1758)
 * *Aporophyla lutulenta* (DEN. & SCHIFF., 1775)
 * *Apotomis betuletana* (HAWORTH, 1811)
 * *Apotomis capreana* (HÜBNER, 1817)
 * *Apotomis lineana* (DEN. & SCHIFF., 1775)
 * *Apotomis sauciana* (FRÖLICH, 1828)
 * *Apotomis sororculana* (ZETTERSTEDT, 1839)
 * *Apotomis turbidana* (HÜBNER, 1825)
 * *Aproaerema anthyllidella* (HÜBNER, 1813)
Apterona helix (SIEBOLD, 1850)
Araschnia levana LINNÉ, 1758
 * *Archanara algae* (ESPER, 1789)
 * *Archanara geminipuncta* (HAWORTH, 1809)
Archanara sparganii (ESPER, 1790)
 * *Archiearis notha* (HÜBNER, 1803)
Archiearis parthenias (LINNÉ, 1761)
 * *Archips crataegana* (HÜBNER, 1799)
 * *Archips oporana* (LINNÉ, 1758)
Archips podana (SCOPOLI, 1763)
Archips rosana (LINNÉ, 1758)
Archips xylosteana (LINNÉ, 1758)
Arctia caja (LINNÉ, 1758)
 * *Arctia villica* (LINNÉ, 1758)
 * *Arctornis l-nigrum* (MÜLLER, 1764)
Arenostola phragmitides (HÜBNER, 1803)
Argynnis paphia (LINNÉ, 1758)
 * *Argyresthia albistria* (HAWORTH, 1828)
 * *Argyresthia brockeella* (HÜBNER, 1813)
Argyresthia conjugella ZELLER, 1839
 * *Argyresthia curvella* (LINNÉ, 1761)
 * *Argyresthia fundella* (F. v. RÖSLERSTAMM, 1835)
 * *Argyresthia goedartella* (LINNÉ, 1758)
 * *Argyresthia mendica* (HAWORTH, 1828)
 * *Argyresthia pruniella* (CLERCK, 1759)
 * *Argyresthia retinella* ZELLER, 1839
 * *Argyresthia semitestacella* CURTIS, 1833
Aricia agestis (DEN. & SCHIFF., 1775)
 * *Aristotelia brizella* (TREITSCHKE, 1833)
 * *Aristotelia ericinella* (ZELLER, 1839)
Aroga velocella (ZELLER, 1839)
Aspitates gilvaria (DEN. & SCHIFF., 1775)
Asthena albulata (HUFNAGEL, 1767)
 * *Atemelia torquatella* (LIENIG & ZELLER, 1846)
 * *Athetis pallustris* (HÜBNER, 1808)
 * *Athrips mouffetella* (LINNÉ, 1758)
 * *Atolmis rubricollis* (LINNÉ, 1758)
 * *Aurana advenella* (ZINCKEN, 1818)
 * *Aurana marmorea* HAWORTH, 1811
 * *Aurana suavella* (ZINCKEN, 1818)
Autographa gamma (LINNÉ, 1758)
Autographa pulchrina (HAWORTH, 1809)
Axylia putris (LINNÉ, 1761)
 * *Bactra furfurana* (HAWORTH, 1811)
Bactra lancealana (HÜBNER, 1799)
 * *Bankesia conspurcatella* (ZELLER, 1850)
Batia internella JÄCKH, 1972
Batia unitella (HÜBNER, 1796)
 * *Batrachedra pinicolella* (ZELLER, 1839)
 * *Batrachedra praeangusta* (HAWORTH, 1828)
 * *Bedellia somnulentella* (ZELLER, 1847)
 * *Bena prasinana* (LINNÉ, 1758)
 * *Bisigna procerella* (DEN. & SCHIFF., 1775)
Biston betularia (LINNÉ, 1758)
Biston strataria (HUFNAGEL, 1767)
 * *Blastesthia turionella* (LINNÉ, 1758)
Blastobasis phycidella (ZELLER, 1839)
 * *Blastodacna hellerella* (DUPONCHEL, 1838)
 * *Blastodacna vinolentella* (HERR.-SCHÄFF., 1853)
 * *Blastotere bergiella* RATZEBURG, 1840
 * *Blepharita adusta* (ESPER, 1790)
Blepharita satura (DEN. & SCHIFF., 1775)
Boarmia roboraria (DEN. & SCHIFF., 1775)
 * *Borkhausenia minutella* (LINNÉ, 1758)
Brachionycha sphinx (HUFNAGEL, 1766)
 * *Brachmia rufescens* HAWORTH, 1828
Brachylomia viminalis (FABRICIUS, 1777)
Brevantennia triquetrella HÜBNER, 1813
 * *Bryotropha desertella* (DOUGLAS, 1850)
 * *Bryotropha senectella* (ZELLER, 1839)
 * *Bryotropha similis* (STAINTON, 1854)
Bryotropha terrella (DEN. & SCHIFF., 1775)

* *Bryotropha umbrosella* (ZELLER, 1839)
 * *Bucculatrix thoracella* (THUNBERG, 1794)
 * *Bucculatrix ulmella* ZELLER, 1848
Bupalus piniaria (LINNÉ, 1758)
Cabera exanthemata (SCOPOLI, 1763)
Cabera pusaria (LINNÉ, 1758)
Calamia tridens (HUFNAGEL, 1766)
Calamotropha paludella (HÜBNER, 1824)
Calliclystis chloerata (MABILLE, 1870)
Calliclystis rectangulata (LINNÉ, 1758)
Callimorpha dominula (LINNÉ, 1758)
Callistege mi (CLERCK, 1759)
 * *Callisto denticulella* (THUNBERG, 1794)
Callophrys rubi (LINNÉ, 1758)
 * *Callopietria juvenina* (STOLL, 1782)
Calophasia lunula (HUFNAGEL, 1766)
Caloptilia alchimiella (SCOPOLI, 1763)
 * *Caloptilia cuculipennella* (HÜBNER, 1796)
 * *Caloptilia elongella* (LINNÉ, 1761)
 * *Caloptilia falconipennella* (HÜBNER, 1813)
 * *Caloptilia populetorum* ZELLER, 1839
 * *Caloptilia roscipennella* (HÜBNER, 1796)
 * *Caloptilia stigmatella* (FABRICIUS, 1781)
Caloptilia syringella (FABRICIUS, 1794)
Calybites auroguttella (STEPHENS, 1835)
 * *Calybites phasianipennella* (HÜBNER, 1813)
Campaea honoraria (DEN. & SCHIFF., 1775)
Campaea margaritata (LINNÉ, 1767)
Camptogramma bilineata (LINNÉ, 1758)
Capua vulgana (FRÖLICH, 1828)
 * *Caradrina aspersa* (RAMBUR, 1834)
Caradrina clavipalpis (SCOPOLI, 1763)
Caradrina morpheus (HUFNAGEL, 1766)
 * *Caradrina selini* BOISDUVAL, 1840
Carcharodus alceae (ESPER, 1780)
Carcina quercana (FABRICIUS, 1775)
 * *Carterocephalus palaemon* (PALLAS, 1771)
 * *Caryocolum blandella* DOUGLAS, 1852
 * *Caryocolum huebneri* (HAWORTH, 1828)
 * *Caryocolum proximum* (HAWORTH, 1828)
 * *Cataclysta lemnata* (LINNÉ, 1758)
 * *Catacrobasis obtusella* (HÜBNER, 1796)
Catarhoe cuculata (HUFNAGEL, 1767)
 * *Catephia alchymista* (DEN. & SCHIFF., 1775)
 * *Catocala elocata* (ESPER, 1786)
 * *Catocala fraxini* (LINNÉ, 1758)
Catocala nupta (LINNÉ, 1767)
 * *Catocala promissa* (DEN. & SCHIFF., 1775)
 * *Catocala spona* (LINNÉ, 1767)
Catoptria falsella (DEN. & SCHIFF., 1775)
 * *Catoptria fulgidella* (HÜBNER, 1813)
 * *Catoptria lythargyrella* (HÜBNER, 1796)
 * *Catoptria margaritella* (DEN. & SCHIFF., 1775)
 * *Catoptria pinella* (LINNÉ, 1758)
 * *Cedestis gysseleniella* (ZELLER, 1839)
Celaena leucostigma (HÜBNER, 1808)
Celastrina argiolus (LINNÉ, 1758)
 * *Celypha cespitana* (HÜBNER, 1817)
 * *Celypha rufana* (SCOPOLI, 1763)
Celypha striana (DEN. & SCHIFF., 1775)
 * *Cephalispheira ferrugella* (DEN. & SCHIFF., 1775)
Cepphis advenaria (HÜBNER, 1790)
Cerapteryx graminis (LINNÉ, 1758)
Cerastis leucographa (DEN. & SCHIFF., 1775)
Cerastis rubricosa (DEN. & SCHIFF., 1775)
 * *Cerura erminea* (ESPER, 1784)
 * *Cerura vinula* (LINNÉ, 1758)
 * *Chamaesphecia corsica* (STAUDINGER, 1865)
Chamaesphecia empiformis (ESPER, 1783)
Chamaesphecia tenthrediniformis (DEN. & SCHIFF., 1775)
Charanyca trigrammica (HUFNAGEL, 1766)
Charissa obscurata (DEN. & SCHIFF., 1775)
Chazara briseis (LINNÉ, 1764)
Chilo phragmitella (HÜBNER, 1810)
 * *Chilodes maritimus* (TAUSCHER, 1806)
 * *Chlorissa viridata* (LINNÉ, 1758)
 * *Chloroclysta miata* (LINNÉ, 1758)
 * *Chloroclysta siterata* (HUFNAGEL, 1767)
Chloroclysta truncata (HUFNAGEL, 1767)
Chloroclystis v-ata (HAWORTH, 1809)
 * *Choreutis pariana* (CLERCK, 1759)
 * *Choristoneura diversana* (HÜBNER, 1817)
Choristoneura hebenstreitella (MÜLLER, 1764)
 * *Chrysocrambus craterella* (SCOPOLI, 1763)
 * *Chrysoestia sexguttella* (THUNBERG, 1794)
Chrysoteuchia culmella (LINNÉ, 1758)
Cidaria fulvata (FORSTER, 1771)
Cilix glaucata (SCOPOLI, 1763)
Cleora cinctaria (DEN. & SCHIFF., 1775)

* Cleorodes lichenaria (HUFNAGEL, 1767)
 * Clepsia consimilana (HÜBNER, 1817)
 * Clepsia pallidana (FABRICIUS, 1776)
 * Clepsia senecionana (HÜBNER, 1819)
 Clepsia spectrana (TREITSCHKE, 1830)
 * Clossiana dia (LINNÉ, 1767)
 * Clossiana euprosyne (LINNÉ, 1758)
 Clossiana selene (DEN. & SCHIFF., 1775)
 Clostera anachoreta (DEN. & SCHIFF., 1775)
 Clostera anastomosis (LINNÉ, 1758)
 Clostera curtula (LINNÉ, 1758)
 * Clostera pigra (HUFNAGEL, 1766)
 * Cnaemidophorus rhododactyla (DEN. & SCHIFF., 1775)
 * Cnephasia incertana (TREITSCHKE, 1835)
 Cochlidia implicitana (WOCKE, 1856)
 * Cochlidia richteriana (F. v. RÖSLERSTAMM, 1837)
 * Cochylis dubitana (HÜBNER, 1799)
 Cochylis flaviciliana (WESTWOOD, 1854)
 Cochylis hybridella (HÜBNER, 1813)
 Cochylis posterana ZELLER, 1847
 * Coenonympha arcania (LINNÉ, 1761)
 * Coenonympha glycerion (BORKHAUSEN, 1788)
 Coenonympha pamphilus (LINNÉ, 1758)
 Coleophora adpersella BENANDER, 1939
 Coleophora albicostella (DUPONCHEL, 1842)
 * Coleophora alcyonipennella (KOLLAR, 1832)
 * Coleophora alnifoliae BARASCH, 1934
 Coleophora alticolella ZELLER, 1849
 * Coleophora anatipennella (HÜBNER, 1796)
 Coleophora argentula (STEPHENS, 1834)
 Coleophora artemisicolella BRUAND, 1855
 * Coleophora badiipennella (DUPONCHEL, 1843)
 Coleophora ballotella (F. v. RÖSLERSTAMM, 1839)
 Coleophora caelebipennella ZELLER, 1839
 * Coleophora caespititiella (ZELLER, 1839)
 * Coleophora clypeiferella HOFMANN, 1871
 * Coleophora coracipennella (HÜBNER, 1796)
 * Coleophora currucipennella (ZELLER, 1839)
 Coleophora frischella (LINNÉ, 1758)
 Coleophora galbulipennella ZELLER, 1838
 Coleophora glaucicolella WOOD, 1892
 Coleophora granulata ZELLER, 1849
 Coleophora gryphipennella (HÜBNER, 1796)
 Coleophora hemerobiella (SCOPLI, 1763)
 * Coleophora ibipennella (ZELLER, 1849)
 * Coleophora laricella (HÜBNER, 1817)
 * Coleophora limosipennella (DUPONCHEL, 1843)
 * Coleophora lutipennella (ZELLER, 1838)
 * Coleophora milvipennis ZELLER, 1839
 Coleophora murinipennella (DUPONCHEL, 1844)
 * Coleophora ochripennella (ZELLER, 1849)
 * Coleophora orbitella ZELLER, 1849
 Coleophora ornatipennella (HÜBNER, 1796)
 * Coleophora palliatella (ZINCKEN, 1813)
 Coleophora pennella (DEN. & SCHIFF., 1775)
 Coleophora peribenanderi TOLL, 1943
 Coleophora prunifoliae DOETS, 1944
 * Coleophora serenella (DUPONCHEL, 1843)
 Coleophora serratella (LINNÉ, 1761)
 Coleophora silenella HERR.-SCHÄFF., 1855
 * Coleophora sternipennella (ZETTERSTEDT, 1839)
 Coleophora trochilella (DUPONCHEL, 1843)
 Coleophora versurella ZELLER, 1849
 * Coleophora vibicella (HÜBNER, 1813)
 * Coleophora virgatella (ZELLER, 1849)
 Colias australis VERITY, 1911
 Colias crocea (GEOFFROY, 1785)
 Colias hyale (LINNÉ, 1758)
 Colocasia coryli (LINNÉ, 1758)
 Colostygia pectinataria (KNOCH, 1781)
 Colotois pennaria (LINNÉ, 1761)
 Comibaena bajularia (DEN. & SCHIFF., 1775)
 Conistra erythrocephala (DEN. & SCHIFF., 1775)
 * Conistra ligula (ESPER, 1791)
 Conistra rubiginosa (SCOPLI, 1763)
 Conistra vaccinii (LINNÉ, 1761)
 * Coscinia cribraria (LINNÉ, 1758)
 Cosmia affinis (LINNÉ, 1767)
 Cosmia diffinis (LINNÉ, 1767)
 Cosmia pyralina (DEN. & SCHIFF., 1775)
 Cosmia trapezina (LINNÉ, 1758)
 Cosmiotes freyerella (HÜBNER, 1825)
 Cosmorhoe ocellata (LINNÉ, 1758)

Cossus cossus (LINNÉ, 1758)
 * *Crambus ericella* (HÜBNER, 1813)
 * *Crambus hamella* (THUNBERG, 1788)
Crambus nemorella (HÜBNER, 1813)
 * *Crambus pascuella* (LINNÉ, 1758)
 * *Crambus perlella* (SCOPOLI, 1763)
Crambus pratella (LINNÉ, 1758)
 * *Crambus silvella* HÜBNER, 1813
Craniophora ligustri (DEN. & SCHIFF., 1775)
Crocallis elinguaris (LINNÉ, 1758)
Crocallis tusciaria (BORKHAUSEN, 1793)
 * *Croesia bergmanniana* (LINNÉ, 1758)
Croesia forsskaleana (LINNÉ, 1758)
 * *Croesia holmiana* (LINNÉ, 1758)
Cryphia algae (FABRICIUS, 1775)
 * *Cryphia domestica* (HUFNAGEL, 1766)
Cryphia fraudatricula (HÜBNER, 1803)
 * *Cryphia muralis* (FORSTER, 1771)
 * *Cryphia raptricula* (DEN. & SCHIFF., 1775)
Cucullia absinthii (LINNÉ, 1761)
 * *Cucullia argentea* (HUFNAGEL, 1766)
Cucullia artemisiae (HUFNAGEL, 1766)
 * *Cucullia asteris* (DEN. & SCHIFF., 1775)
Cucullia chamomillae (DEN. & SCHIFF., 1775)
Cucullia fraudatrix EVERSMANN, 1837
 * *Cucullia lactucae* (DEN. & SCHIFF., 1775)
 * *Cucullia lucifuga* (DEN. & SCHIFF., 1775)
 * *Cucullia scrophulariae* (DEN. & SCHIFF., 1775)
Cucullia tanacetii (DEN. & SCHIFF., 1775)
Cucullia umbratica (LINNÉ, 1758)
Cucullia verbasci (LINNÉ, 1758)
Cyaniris semiargus (ROTTEMBURG, 1775)
Cybosia mesomella (LINNÉ, 1758)
Cyclophora albipunctata (HUFNAGEL, 1767)
Cyclophora annulata (SCHULZE, 1775)
Cyclophora linearis (HÜBNER, 1799)
Cyclophora pendularis (CLERCK, 1759)
Cyclophora porata (LINNÉ, 1767)
Cyclophora punctaria (LINNÉ, 1758)
 * *Cyclophora ruficiliaria* HERR. - SCHÄFF., 1855
 * *Cydia aurana* (FABRICIUS, 1775)
Cydia compositella (FABRICIUS, 1775)
 * *Cydia conicolana* (HEYLAERTS, 1874)
 * *Cydia coniferana* (SAXESEN, 1840)
 * *Cydia corollana* (HÜBNER, 1823)
 * *Cydia cosmophorana* (TREITSCHKE, 1835)
 * *Cydia funebrana* (TREITSCHKE, 1835)
 * *Cydia janthinana* (DUPONCHEL, 1843)
 * *Cydia jungiella* (CLERCK, 1759)
 * *Cydia nigricana* (FABRICIUS, 1794)
 * *Cydia pactolana* (ZELLER, 1840)
Cydia pomonella (LINNÉ, 1758)
Cydia splendana (HÜBNER, 1799)
 * *Cydia strobilella* (LINNÉ, 1758)
 * *Cydia tenebrosana* (DUPONCHEL, 1843)
Cymatophorima diluta (DEN. & SCHIFF., 1775)
Cynaeda dentalis (DEN. & SCHIFF., 1775)
Cynthia cardui (LINNÉ, 1758)
 * *Daphnis nerii* LINNÉ, 1758
Deilephila elpenor (LINNÉ, 1758)
Deilephila porcellus (LINNÉ, 1758)
Deltotes bankiana (FABRICIUS, 1775)
Dendrolimus pini (LINNÉ, 1758)
 * *Depressaria albipunctella* (HÜBNER, 1796)
 * *Depressaria chaerophylli* ZELLER, 1839
 * *Depressaria depressana* (FABRICIUS, 1775)
 * *Depressaria ultimella* STANTON, 1854
Diachrysis chrysis (LINNÉ, 1758)
Diaphora mendica (CLERCK, 1759)
Diarsia brunnea (DEN. & SCHIFF., 1775)
 * *Diarsia dahliae* (HÜBNER, 1813)
Diarsia mendica (FABRICIUS, 1775)
Diarsia rubi (VIEWEG, 1790)
 * *Diasemia litterata* (SCOPOLI, 1763)
 * *Dicallomera fascelina* (LINNÉ, 1758)
 * *Dichomeris fasciella* (HÜBNER, 1796)
 * *Dichonia aprilina* (LINNÉ, 1758)
 * *Dichonia convergens* (DEN. & SCHIFF., 1775)
 * *Dichrorampha acuminatana* (LIE. & ZELL., 1846)
 * *Dichrorampha alpinana* TREITSCHKE, 1830
Dichrorampha petiverella (LINNÉ, 1758)
Dichrorampha plumbana (SCOPOLI, 1763)
Dichrorampha sedatana (BUSCK, 1906)
Dichrorampha sequana (HÜBNER, 1799)
 * *Dichrorampha simpliciana* (HAWORTH, 1811)
 * *Dicycla oo* (LINNÉ, 1758)
 * *Dicycla ypsilon* (DEN. & SCHIFF., 1775)
 * *Digitivalva reticulella* (HÜBNER, 1796)
Diloba caeruleocephala (LINNÉ, 1758)

- * *Dioryctria abietella* (DEN. & SCHIFF., 1775)
- * *Dioryctria mutata* FUCHS, 1903
- Diplodoma herminata* (GEOFFROY, 1785)
- Discestra trifolii* (HUFNAGEL, 1766)
- Diurnea fagella* (DEN. & SCHIFF., 1775)
- * *Diurnea phryganella* HÜBNER, 1796
- Dolicharthria punctalis* (DEN. & SCHIFF., 1775)
- * *Doloploca punctulana* (DEN. & SCHIFF., 1775)
- * *Donacaula mucronellus* (DEN. & SCHIFF., 1775)
- Drepana binaria* (HUFNAGEL, 1767)
- Drepana cultraria* (FABRICIUS, 1775)
- Drepana falcata* (LINNÉ, 1758)
- Drymonia dodonaea* (DEN. & SCHIFF., 1775)
- * *Drymonia querna* (DEN. & SCHIFF., 1775)
- Drymonia ruficornis* (HUFNAGEL, 1766)
- * *Drymonia velitaris* (HUFNAGEL, 1766)
- * *Dryobotodes eremita* (FABRICIUS, 1775)
- * *Dypterygia scabriuscula* (LINNÉ, 1758)
- * *Dysauxes ancilla* (LINNÉ, 1767)
- * *Dystebenna stephensi* (STANTON, 1849)
- Earias clorana* (LINNÉ, 1761)
- Ecpyrrhorhoe rubiginalis* (HÜBNER, 1796)
- Ecliptopera silaceata* (DEN. & SCHIFF., 1775)
- Ectropis bistortata* (GOEZE, 1781)
- * *Ectropis consonaria* (HÜBNER, 1799)
- Ectropis crepuscularia* (DEN. & SCHIFF., 1775)
- Ectropis extersaria* (HÜBNER, 1799)
- Egira conspicillaris* (LINNÉ, 1758)
- Eidophasia messingiella* (F. v. RÖSLERSTAMM, 1840)
- Eilema complana* (LINNÉ, 1758)
- Eilema lurideola* (ZINCKEN, 1817)
- Eilema lutarella* (LINNÉ, 1758)
- * *Eilema pygmaeola* DOUBLEDAY, 1847
- * *Eilema sororcula* (HUFNAGEL, 1766)
- * *Elachista anserinella* ZELLER, 1839
- Elachista argentella* (CLERCK, 1759)
- * *Elachista bedellella* (SIRCOM, 1848)
- Elachista bifasciella* TREITSCHKE, 1833
- Elachista cerusella* (HÜBNER, 1796)
- * *Elachista dispilella* ZELLER, 1839
- * *Elachista dispunctella* (DUPONCHEL, 1843)
- * *Elachista gleichenella* (FABRICIUS, 1781)
- Elachista humilis* ZELLER, 1850
- * *Elachista pollinariella* ZELLER, 1839
- * *Elachista pullicomella* ZELLER, 1839
- Elachista subocellea* (STEPHENS, 1834)
- Elaphria venustula* (HÜBNER, 1790)
- Electrophaes corylata* (THUNBERG, 1792)
- Eligmodonta ziczac* (LINNÉ, 1758)
- Elkneria pudibunda* (LINNÉ, 1758)
- Ematurga atomaria* (LINNÉ, 1758)
- Emmelia trabealis* (SCOPOLI, 1763)
- * *Emmelina monodactyla* (LINNÉ, 1758)
- Enargia paleacea* (ESPER, 1788)
- * *Enarmonia formosana* (SCOPOLI, 1763)
- * *Endothenia gentianaeana* (HÜBNER, 1799)
- * *Endothenia oblongana* (HAWORTH, 1811)
- Endothenia quadrimaculana* (HAWORTH, 1811)
- Endotricha flammealis* (DEN. & SCHIFF., 1775)
- * *Endromis versicolora* (LINNÉ, 1758)
- * *Endrosis sarcitrella* (LINNÉ, 1758)
- * *Ennomos alniaria* (LINNÉ, 1758)
- * *Ennomos autumnaria* WERNEBURG, 1859
- Ennomos erosaria* (DEN. & SCHIFF., 1775)
- Ennomos fuscantaria* (STEPHENS, 1809)
- * *Ennomos quercinaria* (HUFNAGEL, 1767)
- * *Epagoge grotiana* (FABRICIUS, 1781)
- * *Epermenia chaerophyllella* (GOEZE, 1776)
- * *Epermenia illigerella* (HÜBNER, 1813)
- * *Ephestia elutella* (HÜBNER, 1796)
- * *Epiblema costipunctana* (HAWORTH, 1811)
- Epiblema cynosbatella* (LINNÉ, 1758)
- Epiblema farfarae* FLETCHER, 1938
- Epiblema foenella* (LINNÉ, 1758)
- Epiblema hepaticana* (TREITSCHKE, 1835)
- * *Epiblema incarnatana* (HÜBNER, 1800)
- * *Epiblema scutulana* (DEN. & SCHIFF., 1775)
- * *Epiblema trimaculana* (HAWORTH, 1811)
- Epiblema uddmanniana* (LINNÉ, 1758)
- * *Epicallima formosella* (DEN. & SCHIFF., 1775)
- Epichnopterix plumella* (DEN. & SCHIFF., 1775)
- * *Epichnopterix sieboldii* (REUTTI, 1853)
- * *Epilecta linogrisea* (DEN. & SCHIFF., 1775)
- * *Epinotia abbreviana* (FABRICIUS, 1794)
- Epinotia bilunana* (HAWORTH, 1811)
- Epinotia demarniana* (F. v. RÖSLERSTAMM, 1840)
- * *Epinotia granitana* (HERR.-SCHÄFF., 1851)

- * *Epinotia immundana* (F. v. RÖSLERSTAMM, 1839)
- * *Epinotia nanana* (TREITSCHKE, 1835)
- * *Epinotia nisella* (CLERCK, 1759)
- * *Epinotia pygmaeana* (HÜBNER, 1799)
- Epinotia ramella* (LINNÉ, 1758)
- * *Epinotia signatana* (DOUGLAS, 1845)
- * *Epinotia solandriana* (LINNÉ, 1758)
- * *Epinotia sordidana* (HÜBNER, 1824)
- * *Epinotia stroemiana* (FABRICIUS, 1781)
- * *Epinotia subocellana* (DONOVAN, 1806)
- Epinotia tedella* (CLERCK, 1759)
- * *Epinotia tenerana* (DEN. & SCHIFF., 1775)
- * *Epinotia tetraquetra* (HAWORTH, 1811)
- * *Epione paralellaria* (DEN. & SCHIFF., 1775)
- Epione repandaria* (HUFNAGEL, 1767)
- Epirranthis diversata* (DEN. & SCHIFF., 1775)
- Epirrhoe alternata* (MÜLLER, 1764)
- * *Epirrhoe galiata* (DEN. & SCHIFF., 1775)
- Epirrhoe molluginata* (HÜBNER, 1813)
- Epirrhoe pupillata* (THUNBERG, 1792)
- Epirrhoe rivata* (HÜBNER, 1813)
- Epirrhoe tristata* (LINNÉ, 1758)
- * *Epirrita autumnata* (BORKHAUSEN, 1794)
- * *Epirrita christyi* (ALLEN, 1906)
- Epirrita dilutata* (DEN. & SCHIFF., 1775)
- * *Epizeuxis calvaria* (DEN. & SCHIFF., 1775)
- Erannis defoliaria* (CLERCK, 1759)
- * *Eremobia ochroleuca* (DEN. & SCHIFF., 1775)
- * *Eriocrania semipurpurella* (STEPHENS, 1835)
- * *Eriocrania sparrmannella* (BOSC, 1791)
- Eriocrania subpurpurella* (HAWORTH, 1828)
- * *Eriocrania unimaculella* (ZETTERSTEDT, 1839)
- * *Eriogaster rimicola* (DEN. & SCHIFF., 1775)
- Ethmia bipunctella* (FABRICIUS, 1775)
- Ethmia funerella* (FABRICIUS, 1787)
- Eublemma noctualis* (HÜBNER, 1796)
- * *Eucarta amethystina* (HÜBNER, 1803)
- Euchoeca nebulata* (SCOPOLI, 1763)
- Euclidia glyphica* (LINNÉ, 1758)
- * *Eucosma albidulana* (HERR.-SCHÄFF., 1851)
- * *Eucosma aspidiscana* (HÜBNER, 1817)
- Eucosma cana* (HAWORTH, 1811)
- * *Eucosma conterminana* (GUENÉE, 1845)
- * *Eucosma hohenwartiana* (DEN. & SCHIFF., 1775)
- * *Eucosma maritima* (HUM. & WEST., 1845)
- Eucosma metzneriana* (TREITSCHKE, 1830)
- Eucosma pauperana* (DUPONCHEL, 1842)
- Eucosma pupillana* (CLERCK, 1759)
- Eucosma scutana* CONSTANT, 1893
- Eucosmomorpha albersana* (HÜBNER, 1813)
- * *Eudemis profundana* (DEN. & SCHIFF., 1775)
- * *Eudia pavonia* (LINNÉ, 1758)
- * *Eudonia crataegella* (HÜBNER, 1796)
- * *Eudonia truncicolella* (STANTON, 1849)
- Eulamprotes wilkella* (LINNÉ, 1758)
- * *Eulia ministrana* (LINNÉ, 1758)
- Eulithis mellinata* (FABRICIUS, 1787)
- Eulithis populata* (LINNÉ, 1758)
- Eulithis prunata* (LINNÉ, 1758)
- Eulithis pyraliata* (DEN. & SCHIFF., 1775)
- * *Eulithis testata* (LINNÉ, 1761)
- Euphya unangulata* (HAWORTH, 1809)
- Euphyia biangulata* (HAWORTH, 1809)
- Eupithecia abbreviata* STEPHENS, 1831
- Eupithecia abietaria* (GOEZE, 1781)
- Eupithecia absinthiata* (CLERCK, 1759)
- Eupithecia assimilata* DOUBLEDAY, 1856
- Eupithecia centaureata* (DEN. & SCHIFF., 1775)
- Eupithecia distinctaria* HERR.-SCHÄFF., 1848
- Eupithecia dodoneata* GUENÉE, 1857
- Eupithecia egenaria* HERR.-SCHÄFF., 1848
- * *Eupithecia exigua* (HÜBNER, 1813)
- Eupithecia extraversaria* HERR.-SCHÄFF., 1852
- Eupithecia haworthiata* DOUBLEDAY, 1856
- Eupithecia icterata* (VILLERS, 1789)
- * *Eupithecia indigata* (HÜBNER, 1813)
- Eupithecia innotata* (HUFNAGEL, 1767)
- Eupithecia intricata* ZETTERSTEDT, 1839
- Eupithecia inturbata* (HÜBNER, 1817)
- * *Eupithecia laquaearia* HERR.-SCHÄFF., 1848
- Eupithecia lariciata* (FREYER, 1842)
- Eupithecia linariata* (DEN. & SCHIFF., 1775)
- Eupithecia millefoliata* RÖSSLER, 1866
- * *Eupithecia nanata* (HÜBNER, 1813)
- Eupithecia pimpinellata* (HÜBNER, 1813)
- * *Eupithecia pusillata* (DEN. & SCHIFF., 1775)
- Eupithecia satyrata* (HÜBNER, 1813)
- Eupithecia selinata* HERR.-SCHÄFF., 1865

*Eupithecia simpliciat*a (HAWORTH, 1809)
Eupithecia subfuscata (HAWORTH, 1809)
Eupithecia subumbrata (DEN. & SCHIFF., 1775)
Eupithecia succenturiata (LINNÉ, 1758)
 * *Eupithecia tantillaria* BOISDUVAL, 1840
Eupithecia tenuiata (HÜBNER, 1813)
Eupithecia tripunctaria HERR.-SCHÄFF., 1852
Eupithecia valerianata (HÜBNER, 1813)
 * *Eupithecia venosata* (FABRICIUS, 1787)
Eupithecia virgaureata DOUBLEDAY, 1861
Eupithecia vulgata (HAWORTH, 1809)
Euplexia lucipara (LINNÉ, 1758)
 * *Eupoecilia angustana* (HÜBNER, 1799)
 * *Eupoecilia cebrana* (HÜBNER, 1813)
Euproctis chrysoorrhoea (LINNÉ, 1758)
Euproctis similis (FUESSLY, 1775)
Eupsilia transversa (HUFNAGEL, 1766)
 * *Eurodryas aurinia* (ROTTEMBURG, 1775)
 * *Eurois occulta* (LINNÉ, 1758)
Eurrhypara hortulata (LINNÉ, 1758)
 * *Eustrotia uncula* (CLERCK, 1759)
Euxoa aquilina (DEN. & SCHIFF., 1775)
 * *Euxoa nigricans* (LINNÉ, 1761)
Euxoa obelisca (DEN. & SCHIFF., 1775)
Euxoa tritici (LINNÉ, 1761)
 * *Everes argiades* (PALLAS, 1771)
Evergestis extimalis (SCOPOLI, 1763)
Evergestis forficalis (LINNÉ, 1758)
Evergestis frumentalis (LINNÉ, 1761)
Evergestis limbata (LINNÉ, 1767)
 * *Evergestis pallidata* (HUFNAGEL, 1767)
 * *Exoteleia dodecella* (LINNÉ, 1758)
 * *Fabriciana niobe* (LINNÉ, 1758)
Falcaria lacertinaria (LINNÉ, 1758)
 * *Furcula bicuspis* (BORKHAUSEN, 1790)
Furcula bifida (BRAHM, 1787)
Furcula furcula (CLERCK, 1759)
 * *Galleria mellonella* (LINNÉ, 1758)
 * *Gastropacha populifolia* (ESPER, 1781)
 * *Gastropacha quercifolia* (LINNÉ, 1758)
Gelechia sestertiella HERR.-SCHÄFF., 1854
 * *Gelechia turpella* (DEN. & SCHIFF., 1775)
Geometra papilionaria LINNÉ, 1758
 * *Gibberifera simplana* (F. v. RÖSLERSTAMM, 1836)
 * *Glaucopyche alexis* (PODA, 1761)
 * *Glyphipterix forsterella* (FABRICIUS, 1781)
Glyphipterix simplicella (STEPHENS, 1834)
 * *Glyphipterix thrasonella* (SCOPOLI, 1763)
Gonepteryx rhamni (LINNÉ, 1758)
 * *Gortyna flavago* (DEN. & SCHIFF., 1775)
Graphiphora augur (FABRICIUS, 1775)
 * *Griselda myrtillana* (HUMP.& WEST., 1845)
 * *Griselda stagnana* (DEN. & SCHIFF., 1775)
Gymnancyla hornigi (LEDERER, 1852)
Gymnoscelis rufifasciata (HAWORTH, 1809)
Gypsonoma minutana (HÜBNER, 1799)
 * *Gypsonoma oppressana* (TREITSCHKE, 1835)
Habrosyne pyritoides (HUFNAGEL, 1766)
Hada nana (HUFNAGEL, 1766)
Hadena bicruris (HUFNAGEL, 1766)
Hadena compta (DEN. & SCHIFF., 1775)
 * *Hadena confusa* (HUFNAGEL, 1766)
 * *Hadena irregularis* (HUFNAGEL, 1766)
Hadena perplexa (DEN. & SCHIFF., 1775)
Hadena rivularis (FABRICIUS, 1775)
 * *Hamearis lucina* (LINNÉ, 1758)
 * *Haplotinea insectella* (FABRICIUS, 1794)
 * *Harpella forficella* (SCOPOLI, 1763)
Harpyia milhauseri (FABRICIUS, 1775)
Hecatera bicolorata (HUFNAGEL, 1766)
Hedya atropunctana (ZETTERSTEDT, 1839)
 * *Hedya dimidiana* (CLERCK, 1759)
Hedya nubiferana (HAWORTH, 1811)
 * *Hedya ochroleucana* (FRÖLICH, 1828)
 * *Hedya pruniana* (HÜBNER, 1799)
Hedya salicella (LINNÉ, 1758)
Heinemannia festivella (DEN. & SCHIFF., 1775)
Heliophobus reticulata (GOEZE, 1781)
Heliolithis viriplaca (HUFNAGEL, 1766)
 * *Heliozela sericiella* (HAWORTH, 1828)
 * *Hemaris fuciformis* (LINNÉ, 1758)
Hemistola chrysoprasaria (ESPER, 1794)
Hemithea aestivaria (HÜBNER, 1799)
Hepialus humuli (LINNÉ, 1758)
 * *Herminia lunalis* (SCOPOLI, 1763)
Herminia nemoralis (FABRICIUS, 1775)
Hesperia comma (LINNÉ, 1758)
 * *Hipparchia alcyone* (DEN. & SCHIFF., 1775)
Hipparchia semele (LINNÉ, 1758)
 * *Hipparchia statilinus* (HUFNAGEL, 1766)

- * Hofmannophila pseudospretella (STANTON, 1849)
- * Holcocera binotella (THUNBERG, 1794)
- * Homoeosoma nimbella DUPONCHEL, 1836
- Hoplodrina alsines (BRAHM, 1791)
- Hoplodrina ambigua (DEN. & SCHIFF., 1775)
- Hoplodrina blanda (DEN. & SCHIFF., 1775)
- * Hoplodrina respersa (DEN. & SCHIFF., 1775)
- * Hoplodrina superstes (OCHSENHEIMER, 1816)
- Horisme corticata (TREISCHKE, 1835)
- Horisme tersata (DEN. & SCHIFF., 1775)
- Horisme vitalbata (DEN. & SCHIFF., 1775)
- Hydraecia micacea (ESPER, 1789)
- Hydrelia flammeolaria (HUFNAGEL, 1767)
- Hydriomena furcata (THUNBERG, 1784)
- Hydriomena impluviata (DEN. & SCHIFF., 1775)
- * Hylaea fasciaria (LINNÉ, 1758)
- Hyles euphorbiae (LINNÉ, 1758)
- * Hyles gallii (ROTTEMBURG, 1775)
- Hyloicus pinastri (LINNÉ, 1758)
- * Hypatima rhomboidella (LINNÉ, 1758)
- * Hypena crassalis (FABRICIUS, 1787)
- Hypena proboscidalis (LINNÉ, 1758)
- Hypena rostralis (LINNÉ, 1758)
- * Hypochalcia ahenella (DEN. & SCHIFF., 1775)
- Hypomecis punctinalis (SCOPOLI, 1763)
- * Hyponephela lycaon (KÜHN, 1774)
- * Hypsopygia costalis FABRICIUS, 1775
- Idaea aversata (LINNÉ, 1758)
- Idaea biselata (HUFNAGEL, 1767)
- Idaea deversaria HERR.-SCHÄFF., 1847
- Idaea dimidiata (HUFNAGEL, 1767)
- Idaea emarginata (LINNÉ, 1758)
- Idaea fuscovenosa (GOEZE, 1781)
- Idaea humiliata (HUFNAGEL, 1767)
- Idaea inquinata (SCOPOLI, 1763)
- Idaea moniliata (DEN. & SCHIFF., 1775)
- Idaea muricata (HUFNAGEL, 1767)
- Idaea ochrata (SCOPOLI, 1763)
- Idaea rufaria (HÜBNER, 1799)
- * Idaea seriata (SCHRANK, 1802)
- Idaea serpentata (HUFNAGEL, 1767)
- * Idaea straminata (BORKHAUSEN, 1794)
- * Idaea sylvestriaria (HÜBNER, 1799)
- Inachis io (LINNÉ, 1758)
- Incurvaria masculella (DEN. & SCHIFF., 1775)
- * Incurvaria pectinea HAWORTH, 1828
- * Infurcitinea ignicomella (ZELLER, 1852)
- * Iphiclydes podalirius SCOPOLI, 1763
- * Ipimorpha retusa (LINNÉ, 1761)
- Ipimorpha subtusa (DEN. & SCHIFF., 1775)
- * Isophrictis anthemidella (WOCKE, 1871)
- * Isophrictis striatella (DEN. & SCHIFF., 1775)
- * Isotrias hybridana (HÜBNER, 1817)
- * Isotrias rectifasciana (HAWORTH, 1811)
- Issoria lathonia (LINNÉ, 1758)
- * Itame brunneata (THUNBERG, 1784)
- Itame wauaria (LINNÉ, 1758)
- * Jodia croceago (DEN. & SCHIFF., 1775)
- Jodis lactearia (LINNÉ, 1758)
- * Jodis putata (LINNÉ, 1758)
- Korscheltellus fusconebulosa (DE GEER, 1788)
- Korscheltellus lupulinus (LINNÉ, 1758)
- * Lacanobia aliena (HÜBNER, 1809)
- Lacanobia contigua (DEN. & SCHIFF., 1775)
- Lacanobia oleracea (LINNÉ, 1758)
- * Lacanobia pisi (LINNÉ, 1758)
- Lacanobia suasa (DEN. & SCHIFF., 1775)
- Lacanobia thalassina (HUFNAGEL, 1766)
- Lacanobia w-latinum (HUFNAGEL, 1766)
- * Lampronia flavimitrella (HÜBNER, 1817)
- * Lampronia luzella (HÜBNER, 1817)
- * Lampronia oehlmanniella (HÜBNER, 1796)
- Laothoe populi (LINNÉ, 1758)
- * Larentia clavaria (HAWORTH, 1809)
- * Lasiocampa quercus (LINNÉ, 1758)
- Lasiocampa trifolii (DEN. & SCHIFF., 1775)
- Lasiommata megera (LINNÉ, 1767)
- * Laspeyria flexula (DEN. & SCHIFF., 1775)
- Latronympha strigana (FABRICIUS, 1775)
- * Lepidopsyche unicolor (HUFNAGEL, 1766)
- Leptidea sinapis (LINNÉ, 1758)
- Leucania comma (LINNÉ, 1761)
- Leucodonta bicoloria (DEN. & SCHIFF., 1775)
- Leucoma salicis (LINNÉ, 1758)
- * Leucoptera laburnella (STANTON, 1858)
- * Leucoptera lustratella (HERR.-SCHÄFF., 1854)
- * Leucoptera spartifoliella (HÜBNER, 1813)
- Ligdia adustata (DEN. & SCHIFF., 1775)

Limenitis camilla (LINNÉ, 1764)
Limnaecia phragmitella STAINTON, 1851
 * *Lita solutella* (ZELLER, 1839)
Lithacodia deceptoria (SCOPOLI, 1763)
Lithacodia pygarga (HUFNAGEL, 1766)
 * *Lithophane furcifera* (HUFNAGEL, 1766)
Lithophane ornitopus (HUFNAGEL, 1766)
 * *Lithophane socia* (HUFNAGEL, 1766)
 * *Lithosia quadra* (LINNÉ, 1758)
Lithostege farinata (HUFNAGEL, 1767)
 * *Lithostege griseata* (DEN. & SCHIFF., 1775)
Lobesia abscisana (DOUBLEDAY, 1849)
Lobesia botrana (DEN. & SCHIFF., 1775)
Lobesia reliquana (HÜBNER, 1825)
Lobophora halterata HUFNAGEL, 1767
Lomaspilis marginata (LINNÉ, 1758)
Lomographa bimaculata (FABRICIUS, 1775)
Lomographa temerata (DEN. & SCHIFF., 1775)
Luperina nickerlii (FREYER, 1845)
Luperina testacea (DEN. & SCHIFF., 1775)
Lycaena phlaeas (LINNÉ, 1761)
Lycaena tityrus (PODA, 1761)
Lycia hirtaria (CLERCK, 1759)
 * *Lycia pomonaria* (HÜBNER, 1790)
 * *Lycia zonaria* (DEN. & SCHIFF., 1775)
 * *Lycophotia porphyrea* (DEN. & SCHIFF., 1775)
Lymantria dispar (LINNÉ, 1758)
Lymantria monacha (LINNÉ, 1758)
 * *Lyonetia clerkella* (LINNÉ, 1758)
 * *Lypusa maurella* (DEN. & SCHIFF., 1775)
Lysandra bellargus (ROTTEMBURG, 1775)
Lysandra coridon (PODA, 1761)
Lythria purpuraria (LINNÉ, 1758)
Macdunnoughia confusa (STEPHENS, 1850)
Macrochilo cribrumalis (HÜBNER, 1793)
Macroglossum stellatarum (LINNÉ, 1758)
Macrothylacia rubi (LINNÉ, 1758)
Maculinea teleius (BERGSTRÄSSER, 1779)
Malacosoma neustria (LINNÉ, 1758)
Mamestra brassicae (LINNÉ, 1758)
 * *Mamestra dysodea* (DEN. & SCHIFF., 1775)
Maniola jurtina (LINNÉ, 1758)
Margaritia sticticalis (LINNÉ, 1761)
Mecyna flavalis (DEN. & SCHIFF., 1775)
Mecyna lutealis (DUPONCHEL, 1833)
Meganephria bimaculosa (LINNÉ, 1767)
Meganola albula (DEN. & SCHIFF., 1775)
Meganola strigula (DEN. & SCHIFF., 1775)
 * *Meganola togatulalis* (HÜBNER, 1796)
Melanargia galathea (LINNÉ, 1758)
Melanchra persicariae (LINNÉ, 1761)
Melanthia procellata (DEN. & SCHIFF., 1775)
 * *Melasina lugubris* (HÜBNER, 1793)
Melissoblastes zelleri DE JOANNIS, 1932
 * *Mellicta athalia* (ROTTEMBURG, 1775)
Mesapamea didyma (ESPER, 1788)
Mesapamea secalis (LINNÉ, 1758)
Mesoacidalia aglaja (LINNÉ, 1758)
Mesoleuca albicillata (LINNÉ, 1758)
Mesoligia furuncula (DEN. & SCHIFF., 1775)
 * *Metriostola betulae* (GOEZE, 1778)
 * *Metriotes lutarea* (HAWORTH, 1828)
 * *Metzneria aestivella* (ZELLER, 1839)
 * *Metzneria lappella* (LINNÉ, 1758)
 * *Micropterix calthella* (LINNÉ, 1761)
 * *Microstega hyalinalis* (HÜBNER, 1796)
 * *Microstega pandalis* (HÜBNER, 1825)
 * *Micrurapteryx kollariella* (ZELLER, 1839)
 * *Miltochrista miniata* (FORSTER, 1771)
Mimas tiliae (LINNÉ, 1758)
Minoa murinata (SCOPOLI, 1763)
 * *Minois dryas* (SCOPOLI, 1763)
 * *Minucia lunaris* (DEN. & SCHIFF., 1775)
 * *Mirificarma interruptella* (HÜBNER, 1793)
Moma alpium (OSBECK, 1778)
 * *Mompha conturbatella* (HÜBNER, 1819)
 * *Mompha divisella* HERR.-SCHÄFF., 1854
 * *Mompha epilobiella* (DEN. & SCHIFF., 1775)
 * *Mompha langiella* (HÜBNER, 1796)
 * *Mompha propinquella* (STAINTON, 1851)
 * *Mompha raschkiella* (ZELLER, 1839)
 * *Monochroa lutulentella* (ZELLER, 1839)
 * *Monopis ferruginella* (HÜBNER, 1813)
 * *Monopis laevigella* (DEN. & SCHIFF., 1775)
Monopis monachella (HÜBNER, 1799)
 * *Monopis rusticella* (HÜBNER, 1796)
 * *Mormo maura* (LINNÉ, 1758)
 * *Morphaga choragella* (DEN. & SCHIFF., 1775)
 * *Myeloides cribrella* (HÜBNER, 1796)
 * *Myelopsis tetricella* (DEN. & SCHIFF., 1775)

- * Mythimna comma (LINNÉ, 1761)
- Mythimna turca (LINNÉ, 1761)
- Naenia typica (LINNÉ, 1758)
- Narycia monilifera (GEOFFROY, 1785)
- * Nemapogon clematella (FABRICIUS, 1781)
- Nemapogon cloacella (HAWORTH, 1828)
- * Nemapogon granella (LINNÉ, 1758)
- * Nemapogon picarella (CLERCK, 1759)
- * Nematopogon metaxella (HÜBNER, 1813)
- * Nematopogon panzerella (FABRICIUS, 1794)
- Nematopogon swammerdamella (LINNÉ, 1758)
- * Nemophora degeerella (LINNÉ, 1758)
- * Nemophora fasciella (FABRICIUS, 1775)
- * Nemophora pfeifferella (HÜBNER, 1813)
- * Neofaculta ericetella (GEYER, 1832)
- * Neofriseria peliella (TREITSCHKE, 1835)
- * Nephopterix rhenella (ZINCKEN, 1818)
- * Niditinea fuscipunctella (HAWORTH, 1828)
- Niditinea piercella (BENTINCK, 1934)
- Noctua comes HÜBNER, 1813
- Noctua fimbriata (SCHREBER, 1759)
- Noctua interjecta HÜBNER, 1803
- Noctua janthina (DEN. & SCHIFF., 1775)
- Noctua orbona (HUFNAGEL, 1766)
- Noctua pronuba LINNÉ, 1758
- * Nola cicatricalis TREITSCHKE, 1835
- * Nola confusalis HERR.-SCHÄFF., 1847
- Nola cucullatella (LINNÉ, 1758)
- * Nomophila noctuella (DEN. & SCHIFF., 1775)
- * Nonagria typhae (THUNBERG, 1784)
- * Nordmannia ilicis (ESPER, 1779)
- Notodonta dromedarius (LINNÉ, 1767)
- * Notodonta torva (HÜBNER, 1803)
- * Nyctegretis achatinella (HÜBNER, 1824)
- Nyctegretis lineana (SCOPOLI, 1786)
- * Nycteola revayana (SCOPOLI, 1772)
- Nymphalis antiopa (LINNÉ, 1758)
- Nymphalis polychloros (LINNÉ, 1758)
- * Nymphalis xanthomelas (DEN. & SCHIFF., 1775)
- * Nymphula nymphaeata (LINNÉ, 1758)
- Ochlodes venatus (BREMER & GREY, 1853)
- Ochropacha duplaris (LINNÉ, 1761)
- Ochropleura plecta (LINNÉ, 1758)
- * Ochropleura praecox LINNÉ, 1758
- * Ochsenheimeria taurella (DEN. & SCHIFF., 1775)
- * Ochsenheimeria vacculella F.v. RÖSLERST., 1842
- * Ocneria detrita (ESPER, 1785)
- * Ocnerostoma piniariella ZELLER, 1847
- * Odezia atrata (LINNÉ, 1758)
- * Odonestis pruni (LINNÉ, 1758)
- * Oecophora bractella (LINNÉ, 1758)
- Olethreutes arcuella (CLERCK, 1759)
- * Olethreutes bifasciana (HAWORTH, 1811)
- Olethreutes lacunana (DEN. & SCHIFF., 1775)
- * Olethreutes olivana (TREITSCHKE, 1830)
- Olethreutes rivulana (SCOPOLI, 1763)
- * Olethreutes schulziana (FABRICIUS, 1777)
- * Olethreutes umbrosana (FREYER, 1842)
- Oligia latruncula (DEN. & SCHIFF., 1775)
- Oligia strigilis (LINNÉ, 1758)
- Oncocera semirubella (SCOPOLI, 1763)
- Operophtera brumata (LINNÉ, 1758)
- Operophtera fagata (SCHARFENBERG, 1805)
- Opigena polygona (DEN. & SCHIFF., 1775)
- Opisthograptis luteolata (LINNÉ, 1758)
- Orgya antiqua (LINNÉ, 1758)
- * Oriana musculosa (HÜBNER, 1808)
- * Orthonama obstipata (FABRICIUS, 1794)
- * Orthonama vittata (BORKHAUSEN, 1794)
- * Orthopygia glaucinalis (LINNÉ, 1758)
- Orthosia cruda (DEN. & SCHIFF., 1775)
- Orthosia gothica (LINNÉ, 1758)
- Orthosia gracilis (DEN. & SCHIFF., 1775)
- Orthosia incerta (HUFNAGEL, 1766)
- Orthosia miniosa (DEN. & SCHIFF., 1775)
- Orthosia munda (DEN. & SCHIFF., 1775)
- * Orthosia opima (HÜBNER, 1809)
- Orthosia populeti (FABRICIUS, 1781)
- Orthosia stabilis (DEN. & SCHIFF., 1775)
- * Orthotaelia sparganella (THUNBERG, 1794)
- * Orthotaenia undulana (DEN. & SCHIFF., 1775)
- Ostrinia nubilalis (HÜBNER, 1796)
- Ourapteryx sambucaria (LINNÉ, 1758)
- * Oxyptilus chrysodactylus (DEN. & SCHIFF., 1775)
- Oxyptilus parvidactylus (HAWORTH, 1811)
- * Oxyptilus pilosellae ZELLER, 1841

Pachetra sagittigera (HUFNAGEL, 1766)
 * *Pammene argyrana* (HÜBNER, 1799)
 * *Pammene gallicolana* (LIENIG & ZELLER, 1846)
 * *Pammene germmana* (HÜBNER, 1799)
Pammene insulana (GUENÉE, 1845)
Pammene rhediella (CLERCK, 1759)
 * *Pammene spiniana* (DUPONCHEL, 1843)
 * *Pammene splendidulana* (GUENÉE, 1845)
 * *Pammene suspectana* LIENIG & ZELLER, 1846
 * *Pancalia latreillella* CURTIS, 1830
Pandemis cerasana (HÜBNER, 1786)
 * *Pandemis corylana* (FABRICIUS, 1794)
Pandemis heparana (DEN. & SCHIFF., 1775)
Panemeria tenebrata (SCOPOLI, 1763)
Panolis flammea (DEN. & SCHIFF., 1775)
 * *Panthea coenobita* (ESPER, 1785)
Papilio machaon LINNÉ, 1758
 * *Parachronistis albiceps* (ZELLER, 1839)
 * *Paracolax derivalis* (HÜBNER, 1796)
 * *Paracorsia repandalis* (DEN. & SCHIFF., 1775)
 * *Paranthrene tabaniformis* (ROTTEMBURG, 1775)
 * *Parapoynx stagnata* (DONOVAN, 1806)
 * *Parapoynx stratiotata* (LINNÉ, 1758)
Pararge aegeria (LINNÉ, 1758)
 * *Parascotia fuliginaria* LINNÉ, 1761
Parasemia plantaginis (LINNÉ, 1758)
 * *Parastichtis suspecta* (HÜBNER, 1817)
 * *Paraswammerdamia lutarea* HAWORTH, 1828
Pareulype berberata (DEN. & SCHIFF., 1775)
 * *Parornix betulae* (STANTON, 1854)
 * *Parornix caudulatella* (ZELLER, 1839)
 * *Parornix devoniella* (STANTON, 1850)
Parornix finimentella ZELLER, 1850
 * *Parornix torquillella* (ZELLER, 1850)
 * *Pediasia contaminella* (HÜBNER, 1796)
 * *Pediasia fascelinella* (HÜBNER, 1813)
Pediasia luteella (DEN. & SCHIFF., 1775)
 * *Pelochrista hepatariana* (HERR.-SCHÄFF., 1851)
 * *Pelochrista infidana* (HÜBNER, 1824)
Pelosia muscerda (HUFNAGEL, 1799)
Pelurga comitata (LINNÉ, 1758)
Pempelia obductella (ZELLER, 1839)
 * *Pempelia palumbella* (DEN. & SCHIFF., 1775)
 * *Pempeliella ornatella* (DEN. & SCHIFF., 1775)
Pennisetia hylaeiformis (LASPEYRES, 1801)
Peribatodes rhomboidaria (DEN. & SCHIFF., 1775)
 * *Pericallia matronula* (LINNÉ, 1758)
Periclepsis cinctana (DEN. & SCHIFF., 1775)
Peridea anceps (GOEZE, 1781)
 * *Peridroma saucia* (HÜBNER, 1808)
 * *Periphanes delphinii* (LINNÉ, 1758)
Perittia herrichiella (HERR.-SCHÄFF., 1855)
Perizoma affinitata STEPHENS, 1831
Perizoma alchemillata (LINNÉ, 1758)
Perizoma bifaciata (HAWORTH, 1809)
Perizoma flavofasciata (THUNBERG, 1792)
Perizoma lugdunaria (HERR.-SCHÄFF., 1855)
 * *Pexicopia malvella* (HÜBNER, 1805)
Phalera bucephala (LINNÉ, 1758)
Phalonidia manniana (F. v. RÖSLERSTAMM, 1839)
 * *Phalonidia permixtana* (DEN. & SCHIFF., 1775)
Pheosia gnoma (FABRICIUS, 1777)
Pheosia tremula (CLERCK, 1759)
 * *Phiaris micana* (DEN. & SCHIFF., 1775)
Philereme transversata (HUFNAGEL, 1767)
Philereme vetulata (DEN. & SCHIFF., 1775)
Philudoria potatoria (LINNÉ, 1758)
Phlogophora meticulosa (LINNÉ, 1758)
Phlyctaenia coronata (HUFNAGEL, 1767)
Phlyctaenia perlucidalis (HÜBNER, 1809)
Photedes fluxa (HÜBNER, 1809)
Phragmatobia fuliginosa (LINNÉ, 1758)
Phtheochroa rugosana (HÜBNER, 1799)
Phycita roborella (DEN. & SCHIFF., 1775)
Phycitodes binaevella (HÜBNER, 1813)
Phyllocnistis unipunctella (STEPHENS, 1834)
 * *Phyllodesma tremulifolia* (HÜBNER, 1810)
 * *Phyllonorycter apparella* (HERR.-SCHÄFF., 1855)
Phyllonorycter blancardella (FABRICIUS, 1781)
 * *Phyllonorycter cavella* (ZELLER, 1846)
 * *Phyllonorycter cerasicolella* (HERR.-SCHÄFF., 1855)
 * *Phyllonorycter corylifoliella* (HÜBNER, 1796)

Phyllonorycter dubitella (HERR.-SCHÄFF., 1855)
 Phyllonorycter emberizaepenella (BOUCHE, 1834)
 * Phyllonorycter froelichiella (ZELLER, 1839)
 Phyllonorycter harrisella (LINNÉ, 1761)
 * Phyllonorycter heegeriella (ZELLER, 1846)
 Phyllonorycter kleemannella (FABRICIUS, 1781)
 * Phyllonorycter lantanella (SCHRANK, 1802)
 * Phyllonorycter lautella (ZELLER, 1846)
 * Phyllonorycter mespilella (HÜBNER, 1805)
 Phyllonorycter muelleriella (ZELLER, 1839)
 Phyllonorycter oxyacanthae (FREY, 1856)
 * Phyllonorycter pastorella (ZELLER, 1846)
 * Phyllonorycter pomonella ZELLER, 1846
 * Phyllonorycter populifoliella (TREITSCHKE, 1833)
 * Phyllonorycter quercifoliella (ZELLER, 1839)
 * Phyllonorycter quinnata (GEOFFROY, 1785)
 * Phyllonorycter rajella (LINNÉ, 1758)
 Phyllonorycter roboris (ZELLER, 1839)
 * Phyllonorycter sagitella (BJERKANDER, 1790)
 * Phyllonorycter salictella (ZELLER, 1846)
 * Phyllonorycter saportella (DUPONCHEL, 1840)
 * Phyllonorycter schreberella (FABRICIUS, 1781)
 * Phyllonorycter sorbi (FREY, 1855)
 * Phyllonorycter stettinensis (NICELLI, 1852)
 * Phyllonorycter strigulatella (LIENIG & ZELLER, 1846)
 * Phyllonorycter sylvella (HAWORTH, 1828)
 * Phyllonorycter tenerella (JOANNIS, 1915)
 * Phyllonorycter tristrigella (HAWORTH, 1828)
 * Phyllonorycter ulmifoliella (HÜBNER, 1817)
 * Phymatopus hecta (LINNÉ, 1758)
 * Phytometra viridaria (CLERCK, 1759)
 Pieris brassicae (LINNÉ, 1758)
 Pieris napi (LINNÉ, 1758)
 Pieris rapae (LINNÉ, 1758)
 * Plagodis dolabraria (LINNÉ, 1767)
 * Platyptilia gonodactyla (DEN. & SCHIFF., 1775)
 Platytes alpinella (HÜBNER, 1813)
 * Platytes cerussella (DEN. & SCHIFF., 1775)
 Plebejus argus (LINNÉ, 1758)
 * Plebicula thersites (CANTENER, 1834)
 Plemymia rubiginata (DEN. & SCHIFF., 1775)
 Pleuroptya ruralis (SCOPOLI, 1763)
 * Pleurota aristella (LINNÉ, 1767)
 * Pleurota bicostella (CLERCK, 1795)
 * Plodia interpunctella (HÜBNER, 1813)
 * Plusia festucae (LINNÉ, 1758)
 * Plutella porrectella (LINNÉ, 1758)
 Plutella xylostella (LINNÉ, 1758)
 * Poecilocampa populi (LINNÉ, 1758)
 * Polia bombycina (HUFNAGEL, 1766)
 * Polia hepatica (CLERCK, 1759)
 Polia nebulosa (HUFNAGEL, 1766)
 Polychrysia moneta (FABRICIUS, 1787)
 Polygonia c-album (LINNÉ, 1758)
 Polyommatus icarus (ROTTEMBURG, 1775)
 Polyploca ridens (FABRICIUS, 1787)
 * Polypogon lunalis (SCOPOLI, 1763)
 Polypogon nemoralis (FABRICIUS, 1775)
 Polypogon strigilata (LINNÉ, 1758)
 Polypogon tarsicrinalis (KNOCH, 1782)
 Polypogon tarsipennalis TREITSCHKE, 1835
 * Polypogon tentacularia (LINNÉ, 1758)
 Pontia daplidice (LINNÉ, 1758)
 * Prays fraxinella (BJERKANDER, 1784)
 * Proserpinus proserpina (PALLAS, 1772)
 * Protoschinia scutosa (DEN. & SCHIFF., 1775)
 * Psammotis pulveralis (HÜBNER, 1796)
 Pseudargyrotoza conwagana (FABRICIUS, 1775)
 * Pseudatemelia flavifrontella (DEN. & SCHIFF., 1775)
 * Pseudohermenias abietana (FABRICIUS, 1787)
 Pseudoips fagana (FABRICIUS, 1781)
 * Pseudopanthera macularia (LINNÉ, 1758)
 * Pseudophilotes baton (BERGSTRÄSSER, 1779)
 * Pseudosciaphila branderiana (LINNÉ, 1758)
 * Pseudoswammerdamia combinella (HÜBNER, 1786)
 * Pseudotelphusa scalella (SCOPOLI, 1763)
 * Pseudoterpna pruinata (HUFNAGEL, 1767)
 * Psoricoptera gibbosella (ZELLER, 1839)
 Psyche betulina ZELLER, 1839

Psyche casta (PALLAS, 1767)
 * *Psyche crassiorella* (BRUAND, 1849)
Pterapherapteryx sexualata (RETZIUS, 1783)
 * *Pterophorus galactodactyla* DEN. & SCHIFF., 1775
Pterophorus pentadactyla (LINNÉ, 1758)
 * *Pterophorus siculus* FUCHS, 1901
Pterophorus tridactyla (LINNÉ, 1758)
Pterostoma palpina (CLERCK, 1759)
Ptilodon capucina (LINNÉ, 1758)
Ptilodontella cucullina (DEN. & SCHIFF., 1775)
 * *Ptycholoma lechearia* (LINNÉ, 1758)
 * *Puengeleria capreolaria* (DEN. & SCHIFF., 1775)
Pyla fusca (HAWORTH, 1811)
Pyralis farinalis LINNÉ, 1758
 * *Pyrausta aurata* (SCOPOLI, 1763)
 * *Pyrausta cingulata* (LINNÉ, 1758)
Pyrausta despicata (SCOPOLI, 1763)
 * *Pyrausta porphyralis* (DEN. & SCHIFF., 1775)
Pyrausta purpuralis (LINNÉ, 1758)
 * *Pyrgus alveus* (HÜBNER, 1803)
 * *Pyrgus armoricanus* CH. OBERTHÜR, 1910
 * *Pyrgus fritillarius* (PODA, 1761)
Pyrgus malvae (LINNÉ, 1758)
 * *Pyrgus serratulae* RAMBUR, 1840
Pyrrhia umbra (HUFNAGEL, 1766)
Quercusia quercus (LINNÉ, 1758)
 * *Raphia albovenosa* (GOEZE, 1781)
Recurvaria leucatella (CLERCK, 1759)
 * *Recurvaria nanella* (DEN. & SCHIFF., 1775)
 * *Retinia resinella* (LINNÉ, 1758)
 * *Rhagades pruni* (DEN. & SCHIFF., 1775)
 * *Rheumaptera hastata* (LINNÉ, 1758)
 * *Rheumaptera undulata* (LINNÉ, 1758)
 * *Rhigognostis annulatella* (CURTIS, 1832)
Rhizedra lutosus (HÜBNER, 1803)
 * *Rhopobota unipunctana* (HAWORTH, 1811)
 * *Rhyacia lucipeta* (DEN. & SCHIFF., 1775)
Rhyacia simulans (HUFNAGEL, 1766)
 * *Rhyacionia buoliana* (DEN. & SCHIFF., 1775)
 * *Rhyacionia duplana* (HÜBNER, 1813)
 * *Rhyacionia pinivora* (LIENIG & ZELLER, 1846)
Rivula sericealis (SCOPOLI, 1763)
 * *Roeslerstammia erxlebelli* (FABRICIUS, 1787)
Rusina ferruginea (ESPER, 1758)
 * *Salebriopsis albicilla* (HERR.-SCHÄFF., 1849)
Schiffermuelleria schaefferella (LINNÉ, 1758)
 * *Schiffermuelleria similella* (HÜBNER, 1796)
 * *Schoenobius forficella* (THUNBERG, 1794)
Schoenobius gigantella (DEN. & SCHIFF., 1775)
Schrankia taenialis (HÜBNER, 1809)
Scoliopteryx libatrix (LINNÉ, 1758)
 * *Scoparia ambigualis* (TREITSCHKE, 1829)
 * *Scoparia basistrigalis* KNAGGS, 1866
Scoparia pyralella (DEN. & SCHIFF., 1775)
 * *Scopula decorata* (DEN. & SCHIFF., 1775)
Scopula floslactata (HAWORTH, 1809)
 * *Scopula immorata* (LINNÉ, 1758)
Scopula immutata (LINNÉ, 1758)
Scopula incanata (LINNÉ, 1758)
Scopula nigropunctata (HUFNAGEL, 1767)
Scopula ornata (SCOPOLI, 1763)
Scopula rubiginata (HUFNAGEL, 1767)
Scopula ternata (SCHRANK, 1802)
Scotopteryx bipunctaria (DEN. & SCHIFF., 1775)
Scotopteryx chenopodiata (LINNÉ, 1758)
 * *Scotopteryx luridata* (HUFNAGEL, 1767)
 * *Scotopteryx moeniata* (SCOPOLI, 1763)
Scrobipalpa acuminatella (SIRCOM, 1850)
 * *Scrobipalpa atriplicella* (F. v. RÖSLERSTAMM, 1841)
 * *Scrobipalpula psilella* (HERR.-SCHÄFF., 1854)
 * *Scythris cicadella* (ZELLER, 1839)
 * *Scythris fallacella* (SCHLÄGER, 1847)
 * *Scythris inspersella* (HÜBNER, 1817)
 * *Scythris knochella* (FABRICIUS, 1794)
 * *Scythris laminella* (DEN. & SCHIFF., 1775)
Scythris limbella (FABRICIUS, 1775)
Scythris muelleri (MANN, 1871)
 * *Scythris potentillella* (ZELLER, 1847)
 * *Scythris triguttella* DUPONCHEL, 1839
 * *Scythropia crataegella* (LINNÉ, 1767)
 * *Selagia argyrella* (DEN. & SCHIFF., 1775)
 * *Selagia spadicella* (HÜBNER, 1796)
Selenia dentaria (FABRICIUS, 1775)
Selenia lunularia (HÜBNER, 1788)
Selenia tetralunaria (HUFNAGEL, 1767)
Semioscopis avellanella (HÜBNER, 1793)
 * *Semioscopis oculella* (THUNBERG, 1794)

- * *Semioscopis steinkellneriana* (DEN. & SCHIFF., 1775)
- Semiothisa alternaria* (HÜBNER, 1809)
- Semiothisa clathrata* (LINNÉ, 1758)
- Semiothisa liturata* (CLERCK, 1758)
- Semiothisa notata* (LINNÉ, 1758)
- Semiothisa signaria* (HÜBNER, 1809)
- Serraca punctinalis* (SCOPOLI, 1763)
- Sesia apiformis* (CLERCK, 1759)
- * *Setina irrorella* (LINNÉ, 1758)
- * *Sideridis albicolon* (HÜBNER, 1813)
- * *Simyra nervosa* (DEN. & SCHIFF. 1775)
- Sitochroa palealis* (DEN. & SCHIFF., 1775)
- * *Sitochroa verticalis* (LINNÉ, 1758)
- Smerinthus ocellata* (LINNÉ, 1758)
- * *Sophronia sicariella* (ZELLER, 1839)
- * *Sorhagenia rhamnella* (ZELLER, 1839)
- Spaelotis ravida* (DEN. & SCHIFF., 1775)
- * *Spatialia argentina* (DEN. & SCHIFF., 1775)
- Sphinx ligustri* (LINNÉ, 1758)
- Spialia sertorius* (HOFFMANNSEGG, 1804)
- Spilonota ocellana* (DEN. & SCHIFF., 1775)
- Spilosoma lubricipeda* (LINNÉ, 1758)
- Spilosoma luteum* (HUFNAGEL, 1766)
- Spilosoma urticae* (ESPER, 1789)
- Spuleria flavicaput* (HAWORTH, 1828)
- * *Stathmopoda pedella* (LINNÉ, 1761)
- Stauropus fagi* (LINNÉ, 1758)
- Stegania trimaculata* (VILLERS, 1789)
- Stenodes straminea* (HAWORTH, 1811)
- * *Stenolechia gemmella* (LINNÉ, 1758)
- * *Stenoptilia bipunctidactyla* (SCOPOLI, 1763)
- * *Stenoptilia pterodactyla* (LINNÉ, 1761)
- Sterrhopteryx fusca* (HAWORTH, 1809)
- * *Stigmella aceris* (FREY, 1857)
- * *Stigmella alnetella* (STANTON, 1856)
- * *Stigmella anomalella* (GOEZE, 1783)
- * *Stigmella atricapitella* (HAWORTH, 1828)
- * *Stigmella aucupariae* FREY, 1857
- * *Stigmella aurella* FABRICIUS, 1775
- * *Stigmella basiguttella* HEINEMANN, 1862
- * *Stigmella betulicola* (STANTON, 1856)
- * *Stigmella catharticella* (STANTON, 1853)
- * *Stigmella continuella* (STANTON, 1856)
- * *Stigmella desperatella* (FREY, 1856)
- * *Stigmella dulcella* (HEINEMANN, 1862)
- * *Stigmella floslactella* (HAWORTH, 1828)
- * *Stigmella geminella* FREY, 1870
- * *Stigmella glutinosae* (STANTON, 1858)
- * *Stigmella hemargyrella* (KOLLAR, 1832)
- * *Stigmella hybnerella* (HÜBNER, 1796)
- * *Stigmella lapponica* WOCKE, 1862
- * *Stigmella luteella* (STANTON, 1857)
- * *Stigmella malella* (STANTON, 1854)
- * *Stigmella marginicolella* (STANTON, 1853)
- * *Stigmella microtheriella* (STANTON, 1854)
- * *Stigmella minusculella* (HERR.-SCHÄFF., 1855)
- * *Stigmella obliquella* (HEINEMANN, 1862)
- * *Stigmella oxyacanthella* (STANTON, 1854)
- * *Stigmella paradoxa* (FREY, 1858)
- * *Stigmella perpygmaeella* (DOUBLEDAY, 1859)
- * *Stigmella plagicolella* (STANTON, 1854)
- * *Stigmella pomella* VAUGHAN, 1858
- * *Stigmella pyri* (GLITZ, 1865)
- * *Stigmella pyricola* WOCKE, 1877
- * *Stigmella rhamnella* HERR.-SCHÄFF., 1860
- * *Stigmella ruficapitella* (HAWORTH, 1828)
- * *Stigmella salicis* (STANTON, 1854)
- * *Stigmella samiatella* (ZELLER, 1839)
- * *Stigmella speciosa* (FREY, 1858)
- * *Stigmella splendidissima* (HERR.-SCHÄFF., 1855)
- * *Stigmella tiliae* (FREY, 1856)
- * *Stigmella tityrella* (STANTON, 1854)
- * *Stigmella trimaculella* (HAWORTH, 1828)
- * *Stigmella ulmivora* (FOLOGNE, 1860)
- * *Strophedra nitidana* (FABRICIUS, 1794)
- * *Strymonidia pruni* (LINNÉ, 1758)
- Strymonidia w-album* (KNOCH, 1782)
- * *Swammerdamia caesiella* (HÜBNER, 1796)
- Swammerdamia pyrella* (VILLERS, 1789)
- Synanthedon conopiformis* (ESPER, 1783)
- Synanthedon culiciformis* (LINNÉ, 1758)
- * *Synanthedon formicaeformis* (ESPER, 1783)
- Synanthedon myopaeformis* (BORKHAUSEN, 1789)
- * *Synanthedon spheciformis* (DEN. & SCHIFF., 1775)
- * *Synanthedon tipuliformis* (CLERCK, 1759)
- Synanthedon vespiformis* (LINNÉ, 1761)
- Synaphe punctalis* (FABRICIUS, 1775)
- * *Syncopacma cinctella* (CLERCK, 1759)

* *Syncopacma coronillella* (TREITSCHKE, 1833)
 * *Syndemis musculana* (HÜBNER, 1799)
Syntomis phegea (LINNÉ, 1758)
 * *Taleporia tubulosa* (RETZIUS, 1783)
 * *Teleiodes alburnella* (ZELLER, 1839)
 * *Teleiodes decorella* HAWORTH, 1812
 * *Teleiodes fugacella* (ZELLER, 1839)
 * *Teleiodes fugitivella* (ZELLER, 1839)
Teleiodes luculella (HÜBNER, 1813)
 * *Teleiodes paripunctella* (THUNBERG, 1794)
 * *Teleiodes proximella* (HÜBNER, 1796)
 * *Teleiodes wagae* (NOWICKI, 1860)
 * *Teleiopsis diffinis* HAWORTH, 1828
 * *Tephрина murinaria* (DEN. & SCHIFF., 1775)
Tethea ocularis (LINNÉ, 1767)
Tethea or (DEN. & SCHIFF., 1775)
Thalera fimbrialis (SCOPOLI, 1763)
Thalpophila matura (HUFNAGEL, 1766)
 * *Thaumetopoea processionea* (LINNÉ, 1758)
 * *Thecla betulae* (LINNÉ, 1758)
 * *Thera firmata* (HÜBNER, 1822)
Thera juniperata (LINNÉ, 1758)
Thera obeliscata (HÜBNER, 1787)
 * *Thera variata* (DEN. & SCHIFF., 1775)
 * *Thetidia smaragdaria* (FABRICIUS, 1787)
Thiodia citrana (HÜBNER, 1799)
Thisanotia chrysonuchella (SCOPOLI, 1763)
Tholera cespitis (DEN. & SCHIFF., 1775)
Tholera decimalis (PODA, 1761)
Thyatira batis (LINNÉ, 1758)
Thymelicus acteon (ROTTEMBURG, 1775)
Thymelicus lineolus (OCHSENHEIMER, 1808)
Thymelicus sylvestris (PODA, 1761)
 * *Thyria jacobaeae* (LINNÉ, 1758)
 * *Tichonia tinctella* (HÜBNER, 1796)
Timandra griseata W. PETERSEN, 1902
Tinagma balteolella (F. v. RÖSLERSTAMM, 1840)
 * *Tinagma perdicella* ZELLER, 1839
 * *Tinea pallescentella* STAINTON, 1851
 * *Tinea pellionella* LINNÉ, 1758
 * *Tinea semifulvella* HAWORTH, 1828
 * *Tinea trinotella* THUNBERG, 1796
Tineola bisselliella (HUMMEL, 1823)
 * *Tischeria angusticollella* (DUPONCHEL, 1843)
Tischeria ekebladella (BJERKANDER, 1795)
Tischeria heinemanni (WOCKE, 1871)
Tischeria marginea (HAWORTH, 1828)
 * *Tortricodes alternella* (DEN. & SCHIFF., 1775)
Tortrix viridana LINNÉ, 1758
Trachea atriplicis (LINNÉ, 1758)
Trachysmia pulvillana (HERR.-SCHÄFF., 1851)
 * *Trachysmia schreibersiana* (FRÖLICH, 1828)
 * *Triaxomasia caprimulgella* (STAINTON, 1851)
 * *Trichophaga tapetzella* (LINNÉ, 1758)
 * *Trifurcula albifasciella* (HEINEMANN, 1871)
 * *Trifurcula argyropeza* (ZELLER, 1839)
 * *Trifurcula atricollis* (STAINTON, 1857)
 * *Trifurcula heringi* (TOLL, 1934)
 * *Trifurcula pulverosella* (STAINTON, 1849)
 * *Trifurcula rubivora* (WOCKE, 1860)
 * *Trifurcula septembrella* (STAINTON, 1849)
 * *Trifurcula sericopeza* (ZELLER, 1839)
 * *Trifurcula subbimaculella* (HAWORTH, 1828)
Triodia sylvina (LINNÉ, 1761)
Triphosa dubitata (LINNÉ, 1758)
Trisateles emortualis (DEN. & SCHIFF., 1775)
Tyta luctuosa (DEN. & SCHIFF., 1775)
 * *Udea ferrugalis* (HÜBNER, 1796)
 * *Udea olivalis* (DEN. & SCHIFF., 1775)
 * *Udea prunalis* (DEN. & SCHIFF., 1775)
 * *Utetheisa pulchella* (LINNÉ, 1758)
Vanessa atalanta (LINNÉ, 1758)
Xanthia aurago (DEN. & SCHIFF., 1775)
Xanthia citrargo (LINNÉ, 1758)
Xanthia gilvago (DEN. & SCHIFF., 1775)
Xanthia icteritia (HUFNAGEL, 1766)
Xanthia ocellaris (BORKHAUSEN, 1792)
Xanthia togata (ESPER, 1788)
Xanthorhoe biriviata (BORKHAUSEN, 1794)
Xanthorhoe designata (HUFNAGEL, 1767)
Xanthorhoe ferrugata (CLERCK, 1759)
Xanthorhoe fluctuata (LINNÉ, 1758)
Xanthorhoe montanata (DEN. & SCHIFF., 1775)
Xanthorhoe quadrifasiata (CLERCK, 1759)
Xanthorhoe spadicearia (DEN. & SCHIFF., 1775)
 * *Xestia baja* (DEN. & SCHIFF., 1775)
Xestia c-nigrum (LINNÉ, 1758)
Xestia ditrapezium (DEN. & SCHIFF., 1775)
Xestia rhomboidea (ESPER, 1790)

Xestia sexstrigata (HAWORTH, 1809)
Xestia triangulum (HUFNAGEL, 1766)
Xestia xanthographa (DEN. & SCHIFF., 1775)
Xylena exsoleta (LINNÉ, 1758)
Xylena vetusta (HÜBNER, 1813)
* Yponomeuta cagnagella (HÜBNER, 1813)
* Yponomeuta evonymella (LINNÉ, 1758)
* Yponomeuta irrorella (HÜBNER, 1796)
* Yponomeuta malinellus ZELLER, 1838
* Yponomeuta plumbella (DEN. & SCHIFF.,
1775)
* Yponomeuta vigintipunctata (RETZIUS, 1783)
* Ypsolopha alpella (DEN. & SCHIFF., 1775)
* Ypsolopha asperella (LINNÉ, 1761)
Ypsolopha dentella (FABRICIUS, 1775)
* Ypsolopha horridella (TREITSCHKE, 1835)
* Ypsolopha lucella (FABRICIUS, 1775)
Ypsolopha mucronella (SCOPOLI, 1763)
Ypsolopha nemorella (LINNÉ, 1758)
* Ypsolopha parenthesesella (LINNÉ, 1761)
Ypsolopha sequella (CLERCK, 1759)
* Ypsolopha sylvella (LINNÉ, 1767)
* Ypsolopha ustella (CLERCK, 1759)
* Ypsolopha vittella (LINNÉ, 1758)
* Zeiraphera diniana GUENÉE, 1845
Zeiraphera isertana (FABRICIUS, 1794)
* Zeiraphera ratzeburgiana (SAXESEN, 1840)
Zeuzera pyrina (LINNÉ, 1761)
Zygaena carniolica (SCOPOLI, 1763)
Zygaena ephialtes (LINNÉ, 1767)
Zygaena filipendulae (LINNÉ, 1758)
Zygaena loti (DEN. & SCHIFF., 1775)
* Zygaena purpuralis PONTOPPITAN, 1763
Zygaena trifolii (ESPER, 1783)