

Spinnentiere (Arachnida):

* = ausgestorben/verschollen

Webspinnen (Araneida)

Abacoproeces saltuum (L. KOCH, 1872)
Acartauchenius scurrilis (O. P.-CAMBRIDGE, 1872)
Achaearanea lunata (CLERCK, 1757)
Achaearanea riparia (BLACKWALL, 1834)
Achaearanea simulans (THORELL, 1875)
Achaearanea tabulata LEVI, 1980
Achaearanea tepidariorum (C. L. KOCH, 1841)
Aculepeira ceropegia (WALCKENAER, 1802)
Aelurillus v-insignitus (CLERCK, 1757)
Agelena gracilens C. L. KOCH, 1841
Agelena labyrinthica (CLERCK, 1757)
Agroeca brunnea (BLACKWALL, 1833)
Agroeca cuprea MENGE, 1873
Agroeca proxima (O. P.-CAMBRIDGE, 1871)
Allomengea vidua (L. KOCH, 1879)
Alopecosa accentuata (LATREILLE, 1817)
Alopecosa cuneata (CLERCK, 1757)
Alopecosa inquilina (CLERCK, 1757)
Alopecosa pulverulenta (CLERCK, 1757)
Alopecosa schmidti (HAHN, 1835)
Alopecosa trabalis (CLERCK, 1757)
Amaurobius ferox (WALCKENAER, 1825)
Amaurobius jugorum L. KOCH, 1868
Anelosimus vittatus (C. L. KOCH, 1836)
Antistea elegans (BLACKWALL, 1841)
Anyphaena accentuata (WALCKENAER, 1802)
Araeoncus humilis (BLACKWALL, 1841)
Araneus angulatus CLERCK, 1757
Araneus diadematus CLERCK, 1757
Araneus grossus (C. L. KOCH, 1844) (?)
Araneus quadratus CLERCK, 1757
Araneus sturmi (HAHN, 1831)
Araneus triguttatus (FABRICIUS, 1775)
Araniella cucurbitina (CLERCK, 1757)
Araniella displicata (HENTZ, 1847)
Arctosa leopardus (SUNDEVALL, 1833)
Argenna patula (SIMON, 1875)
Argenna subnigra (O. P.-CAMBRIDGE, 1861)
Argiope bruennichi (SCOPOLI, 1772)

Argyroneta aquatica (CLERCK, 1757)
Aulonia albimana (WALCKENAER, 1805)
Ballus chalybeius (WALCKENAER, 1802)
Baryphyma pratense (BLACKWALL, 1861)
Bathyphantes gracilis (BLACKWALL, 1841)
Bathyphantes nigrinus (WESTRING, 1851)
Bathyphantes parvulus (WESTRING, 1851)
Bromella falcigera (BALOGH, 1935)
Centromerita bicolor (BLACKWALL, 1833)
Centromerus incilium (L. KOCH, 1881)
Centromerus pabulator (O. P.-CAMBRIDGE, 1875)
Centromerus prudens (O. P.-CAMBRIDGE, 1873)
Centromerus serratus (O. P.-CAMBRIDGE, 1875)
Centromerus sylvaticus (BLACKWALL, 1841)
Ceratinella brevipes (WESTRING, 1851)
Ceratinella brevis (WIDER, 1834)
Cheiracanthium campestre LOHMANDER, 1944
Cheiracanthium erraticum (WALCKENAER, 1802)
Cheiracanthium montanum L. KOCH, 1878
Cheiracanthium virescens (SUNDEVALL, 1833)
Cicurina cicur (FABRICIUS, 1793)
Clubiona brevipes BLACKWALL, 1841
Clubiona compta C. L. KOCH, 1839
Clubiona diversa O. P.-CAMBRIDGE, 1862
Clubiona frutetorum L. KOCH, 1866
Clubiona genevensis L. KOCH, 1866
Clubiona lutescens WESTRING, 1851
Clubiona neglecta O. P.-CAMBRIDGE, 1862
Clubiona pallidula (CLERCK, 1757)
Clubiona phragmitis C. L. KOCH, 1843
Clubiona reclusa O. P.-CAMBRIDGE, 1863
Clubiona stagnatilis KULCZYNSKI 1897
Clubiona subtilis L. KOCH, 1867
Clubiona terrestris WESTRING, 1851
Cnephalocotes obscurus (BLACKWALL, 1834)
Coelotes terrestris (WIDER, 1834)
Coriarachne depressa (C. L. KOCH, 1837)
Dendryphantes rudis (SUNDEVALL, 1832)
Diaea dorsata (FABRICIUS, 1777)
Dictyna arundinacea (LINNAEUS, 1758)
Dictyna pusilla THORELL, 1856

Dictyna uncinata THORELL, 1856
Dicymbium brevisetosum LOCKET, 1962
Dicymbium nigrum (BLACKWALL, 1834)
Dicymbium tibiale (BLACKWALL, 1836)
Diplocephalus cristatus (BLACKWALL, 1833)
Diplocephalus latifrons (O. P.-CAMBRIDGE, 1863)
Diplocephalus picinus (BLACKWALL, 1841)
Diplostyla concolor (WIDER, 1834)
Dismodicus bifrons (BLACKWALL, 1841)
Drapetisca socialis (SUNDEVALL, 1833)
Drassodes cupreus (BLACKWALL, 1834)
Drassodes lapidosus (WALCKENAER, 1802)
Drassodes pubescens (THORELL, 1856)
Drassyllus lutetianus (L. KOCH, 1866)
Drassyllus praeficus (L. KOCH, 1866)
Drassyllus pumilus (C. L. KOCH, 1839)
Drassyllus pusillus (C. L. KOCH, 1833)
Dysdera erythrina (WALCKENAER, 1802)
Enoplognatha latimana HIPPA & OKSALA, 1982
Enoplognatha mordax (THORELL, 1875)
Enoplognatha ovata (CLERCK, 1757)
Enoplognatha thoracica (HAHN, 1833)
Entelecara congenera (O. P.-CAMBRIDGE, 1879)
Entelecara erythropus (WESTRING, 1851)
Entelecara flavipes (BLACKWALL, 1834)
Episinus angulatus (BLACKWALL, 1836)
Episinus truncatus LATREILLE, 1809
Eresus cinnaberinus (OLIVIER, 1789)
Erigone atra BLACKWALL, 1833
Erigone dentipalpis (WIDER, 1834)
Erigonella hiemalis (BLACKWALL, 1841)
Erigonella ignobilis (O. P.-CAMBRIDGE, 1871)
Ero aphana (WALCKENAER, 1802)
Ero furcata (VILLERS, 1789)
Euophrys frontalis (WALCKENAER, 1802)
Euophrys petrensis C. L. KOCH, 1837
Euryopis flavomaculata (C. L. KOCH, 1836)
Evarcha arcuata (CLERCK, 1757)
Evarcha falcata (CLERCK, 1757)
Floronia bucculenta (CLERCK, 1757)
Gibbaranea bituberculata (WALCKENAER, 1802)
Gnathonarium dentatum (WIDER, 1834)
Gonatium rubens (BLACKWALL, 1833)
Gongylidiellum latebricola (O. P.-CAMBRIDGE, 1871)
Gongylidium rufipes (LINNAEUS, 1758)
Hahnia nava (BLACKWALL, 1841)
Haplodrassus dalmatensis (L. KOCH, 1866)
Haplodrassus minor (O. P.-CAMBRIDGE, 1879)
Haplodrassus signifer (C. L. KOCH, 1839)
Haplodrassus soerenseni (STRAND, 1900)
Haplodrassus umbratilis (L. KOCH, 1866)
Harpactea rubicunda (C. L. KOCH, 1838)
Heliophanus auratus C. L. KOCH, 1835
Heliophanus cupreus (WALCKENAER, 1802)
Heliophanus dubius C. L. KOCH, 1835
Heliophanus flavipes HAHN, 1832
Histopona torpida (C. L. KOCH, 1834)
Hygrolycosa rubrofasciata (OHLERT, 1865)
Hylyphantes graminicola (SUNDEVALL, 1830)
Hypomma bituberculatum (WIDER, 1834)
Hyposinga albovittata (WESTRING, 1851)
Larinioides cornutus (CLERCK, 1757)
Larinioides ixobolus (THORELL, 1873)
Larinioides patagiatus (CLERCK, 1757)
Larinioides sclopetarius (CLERCK, 1757)
Lasaeola tristis (HAHN, 1833)
Lepthyphantes angulipalpis (WESTRING, 1851)
Lepthyphantes insignis O. P.-CAMBRIDGE
Lepthyphantes leprosus (OHLERT, 1865)
Lepthyphantes mansuetus (THORELL, 1875)
Lepthyphantes mengei KULCZYNSKI, 1887
Lepthyphantes nebulosus (SUNDEVALL, 1830)
Lepthyphantes pallidus (O. P.-CAMBRIDGE, 1871)
Lepthyphantes tenuis (BLACKWALL, 1852)
Linyphia hortensis SUNDEVALL, 1830
Linyphia triangularis (CLERCK, 1757)
Lophomma punctatum (BLACKWALL, 1841)
Macrargus rufus (WIDER, 1834)
Mangora acalypha (WALCKENAER, 1802)
Maso sundevalli (WESTRING, 1851)
Mecynargus foveatus (DAHL, 1912)
Meioneta beata (O.P.-CAMBRIDGE, 1906)
Meioneta equestris (L. KOCH, 1881)
Meioneta rurestris (C. L. KOCH, 1836)
Metellina mengei (BLACKWALL, 1869)
Metellina segmentata (CLERCK, 1757)
Micaria fulgens (WALCKENAER, 1802)

Micaria pulicaria (SUNDEVALL, 1832)
Micrargus herbigradus (BLACKWALL, 1854)
Micrargus subaequalis (WESTRING, 1851)
Microlinyphia pusilla (SUNDEVALL, 1830)
Microneta viaria (BLACKWALL, 1841)
Minyriolus pusillus (WIDER, 1834)
Mioxena blanda (SIMON, 1884)
Misumena vatia (CLERCK, 1757)
Moebelia penicillata (WESTRING, 1851)
Neon reticulatus (BLACKWALL, 1853)
Neoscona adianta (WALCKENAER, 1802)
Neriere clathrata (SUNDEVALL, 1830)
Neriere montana (CLERCK, 1757)
Nigma walckenaeri (ROEWER, 1951)
Nuctenea umbratica (CLERCK, 1757)
Oedothorax apicatus (BLACKWALL, 1850)
Oedothorax fuscus (BLACKWALL, 1834)
Oedothorax retusus (WESTRING, 1851)
Ostearius melanopygius (O. P.-CAMBRIDGE, 1879)
Ozyptila atomaria (PANZER, 1801)
Ozyptila brevipes (HAHN, 1826)
Ozyptila claveata (WALCKENAER, 1837)
Ozyptila praticola (C. L. KOCH, 1837)
Ozyptila pullata (THORELL, 1875)
Ozyptila scabricula (WESTRING, 1851)
Pachygnatha clercki SUNDEVALL, 1823
Pachygnatha degeeri SUNDEVALL, 1830
Pachygnatha listeri SUNDEVALL, 1830
Paidiscura pallens (BLACKWALL, 1834)
Pardosa agrestis (WESTRING, 1862)
Pardosa agricola (THORELL, 1856)
Pardosa amentata (CLERCK, 1757)
Pardosa hortensis (THORELL, 1872)
Pardosa lugubris (WALCKENAER, 1802)
Pardosa monticola (CLERCK, 1757)
Pardosa nigriceps (THORELL, 1856)
Pardosa palustris (LINNAEUS, 1758)
Pardosa prativaga (L. KOCH, 1870)
Pardosa pullata (CLERCK, 1757)
Pelecopsis parallela (WIDER, 1834)
Philodromus aureolus (CLERCK, 1757)
Philodromus cespitum (WALCKENAER, 1802)
Philodromus collinus C. L. KOCH, 1835
Philodromus dispar WALCKENAER, 1826
Philodromus margaritatus (CLERCK, 1757)
Philodromus rufus WALCKENAER, 1826
Phlegra fasciata (HAHN, 1826)
Phlegra festiva (C. L. KOCH, 1834)
Pholcomma gibbum (WESTRING, 1851)
Pholcus opilionoides (SCHRANK, 1781)
Pholcus phalangioides (FUSSLIN, 1775)
Phrurolithus festivus (C. L. KOCH, 1835)
Phrurolithus minimus C. L. KOCH, 1839
Pirata hygrophilus THORELL, 1872
Pirata latitans (BLACKWALL, 1841)
Pirata piraticus (CLERCK, 1757)
Pisaura mirabilis (CLERCK, 1757)
Pocadicnemis juncea LOCKET & MILLIDGE, 1953
Pocadicnemis pumila (BLACKWALL, 1841)
Porrhomma convexum (WESTRING, 1851)
Porrhomma microphthalmum (O. P. CAMBRIDGE, 1871)
Porrhomma pygmaeum (BLACKWALL, 1834)
Pseudicius encarpatus (WALCKENAER, 1802)
Robertus arundineti (O. P.-CAMBRIDGE, 1871)
Robertus lividus (BLACKWALL, 1836)
Salticus scenicus (CLERCK, 1757)
Salticus zebraneus (C. L. KOCH, 1837)
Scotophaeus quadripunctatus (LINNAEUS, 1758)
Scotophaeus scutulatus (L. KOCH, 1866)
Scytodes thoracica (LATREILLE, 1802)
Segestria bavarica C. L. KOCH, 1843
Segestria senoculata (LINNAEUS, 1758)
Silometopus reussi (THORELL, 1871)
Singa hamata (CLERCK, 1757)
Singa nitidula C. L. KOCH, 1844
Sitticus caricis (WESTRING, 1861)
Sitticus distinguendus (SIMON, 1868)
Sitticus floricola (C. L. KOCH, 1837)
Sitticus pubescens (FABRICIUS, 1775)
Sitticus rupicola (C. L. KOCH, 1837)
Sitticus zimmermanni (SIMON, 1877)
Sosticus loricatus (L. KOCH, 1866)
Steatoda bipunctata (LINNAEUS, 1758)
Steatoda castanea (CLERCK, 1757)
Steatoda phalerata (PANZER, 1801)
* *Steatoda triangulosa* (WALCKENAER, 1802)
Stemonyphantes lineatus (LINNAEUS, 1758)
Syedra gracilis (MENGE, 1869)

Synageles venator (LUCAS, 1836)
Talavera aequipes (O. P.-CAMBRIDGE, 1871)
Tapinocyba biscissa (O. P.-CAMBRIDGE, 1872)
Tapinocyba insecta (L. KOCH, 1869)
Tapinocyba pallens (O. P.-CAMBRIDGE, 1872)
Tapinocyba praecox (O. P.-CAMBRIDGE, 1873)
Tapinocyboides pygmaeus (MENGE, 1869)
Tapinopa longidens (WIDER, 1834)
Tegenaria agrestis (WALCKENAER, 1802)
Tegenaria atrica C. L. KOCH, 1843
Tegenaria domestica (CLERCK, 1757)
Tegenaria ferruginea (PANZER, 1804)
Tetragnatha extensa (LINNAEUS, 1758)
Tetragnatha montana SIMON, 1874
Tetragnatha obtusa C. L. KOCH, 1837
Tetragnatha pinicola L. KOCH, 1870
Textrix denticulata (OLIVIER, 1789)
Thanatus formicinus (CLERCK, 1757)
Thanatus striatus C. L. KOCH, 1845
Theridion bimaculatum (LINNAEUS, 1767)
Theridion impressum L. KOCH, 1881
Theridion melanurum HAHN, 1831
Theridion mystaceum L. KOCH, 1870
Theridion pinastri L. KOCH, 1872
Theridion simile C. L. KOCH, 1836
Theridion sisypium (CLERCK, 1757)
Theridion tinctum (WALCKENAER, 1802)
Theridion varians HAHN, 1833
Thyreostenius parasiticus (WESTRING, 1851)
Tibellus oblongus (WALCKENAER, 1802)
Tiso vagans (BLACKWALL, 1834)
Trachyzelotes pedestris (C. L. KOCH, 1837)
Trematocephalus cristatus (WIDER, 1834)
Trichoncus affinis KULCZYNSKI, 1894
Trichopterna cito (O. P.-CAMBRIDGE, 1872)
Trochosa ruricola (DE GEER, 1778)
Trochosa spinipalpis (F. O. P.-CAMBRIDGE, 1895)
Trochosa terricola THORELL, 1856
Troxochrus scabriculus (WESTRING, 1851)
Typhochrestus digitatus (O. P.-CAMBRIDGE, 1872)
Walckenaeria alticeps (DENIS, 1952)
Walckenaeria antica (WIDER, 1834)
Walckenaeria atrotibialis (O. P.-CAMBRIDGE, 1878)
Walckenaeria capito (WESTRING, 1861)
Walckenaeria cucullata (C. L. KOCH, 1836)
Walckenaeria dysderoides (WIDER, 1834)
Walckenaeria furcillata (MENGE, 1869)
Walckenaeria mitrata (MENGE, 1868)
Walckenaeria nudipalpis (WESTRING, 1851)
Walckenaeria obtusa BLACKWALL, 1836
Walckenaeria unicornis O. P.-CAMBRIDGE, 1861
Walckenaeria vigilax (BLACKWALL, 1853)
Xerolycosa miniata (C. L. KOCH, 1834)
Xerolycosa nemoralis (WESTRING, 1861)
Xysticus acerbus THORELL, 1872
Xysticus audax (SCHRANK, 1803)
Xysticus bifasciatus C. L. KOCH, 1837
Xysticus cristatus (CLERCK, 1757)
Xysticus erraticus (BLACKWALL, 1834)
Xysticus kochi THORELL, 1872
Xysticus lanio C. L. KOCH, 1835
Xysticus luctator L. KOCH, 1870
Xysticus luctuosus (BLACKWALL, 1836)
Xysticus ninnii THORELL, 1872
Xysticus ulmi (HAHN, 1831)
Zelotes aeneus (SIMON, 1878)
Zelotes electus (C. L. KOCH, 1839)
Zelotes latreillei (SIMON, 1878)
Zelotes longipes (L. KOCH, 1866)
Zelotes petrensis (C. L. KOCH, 1839)
Zelotes subterraneus (C. L. KOCH, 1833)
Zilla diodia (WALCKENAER, 1802)
Zodarion rubidum SIMON, 1914
Zora spinimana (SUNDEVALL, 1833)
Zygiella x-notata (CLERCK, 1757)

Weberknechte (Opilionida)

Astrobonus laevipes (CANESTRINI, 1872)
Lacinius ehippiatus (C. L. KOCH, 1835)
Lacinius horridus (PANZER, 1794)
Leiobunum blackwalli MEADE, 1861
Leiobunum limbatum L. KOCH, 1861
Leiobunum rotundum (LATREILLE, 1798)
Lophopilio palpinalis (HERBST, 1799)
Mitopus morio (FABRICIUS, 1779)
Mitostoma chrysomelas (HERMANN, 1804)

Nelima semproni SZALAY, 1951
Nemastoma dentigerum CANESTRINI, 1873
Nemastoma lugubre (MÜLLER, 1776)
Oligolophus tridens (C. L. KOCH, 1836)
Opilio canestrinii (THORELL, 1876)
Opilio parietinus (DE GEER, 1778)
Opilio saxatilis C. L. KOCH, 1839
Phalangium opilio LINNAEUS, 1758
Rilaena triangularis (HERBST, 1799)
Trogulus tricarinatus (LINNAEUS, 1758)

Pseudoskorpione (Pseudoscorpionida)

Chelifer cancroides (LINNAEUS, 1758)
Chthonius tetrachelatus (PREYSSLER, 1790)
Dactylochelifer latreillei (LEACH, 1817)
Syarinus strandi (ELLINGSEN, 1901)